

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
http://ageconsearch.umn.edu
aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

California Department of Food and Agriculture


Agricultural Commissioners' Crop Reports

Contra Costa County 2005-2009

California County Agricultural Commissioners' Reports from the California Department of Food and Agriculture. This collection consists of annual crop and livestock data from each of the 58 California Counties. The collection covers 1915-1981; digitization of the rest of the collection is forthcoming.

This digitization project was funded by the Giannini Foundation of Agricultural Economics, http://giannini.ucop.edu/.

The work was completed by the staff of the Giannini Foundation Library, University of California, Berkeley, http://are.berkeley.edu/library/. Please contact the Library to consult the originals.



Contra Costa County Department of Agriculture/ Weights & Measures

Agricultural Commissioner - Director of Weights & Measures

Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

Deputy Agricultural Commissioner

Cathleen M. Roybal Larry Yost Joe Deviney

Deputy Sealer of Weights & Measures

Patrick J. Roof

Weights & Measures Inspector III

Arthur Mangonon

Agricultural Biologist/Weights & Measures Inspector III

Ann McClure Patty Whitlock Ralph Fonseca
Gil Rocha Nancy Niemeyer Beth Slate
Jorge Vargas Steve Reymann

Agricultural Biologist II

Gene Mangini Matthew Slattengren

Weights & Measures Inspector II

Cecilie Siegel-Sebolt Ngozi Egbuna

Agricultural Biologist I

Abdoulaye Niang Griffin Wright

Administrative Support

Executive Secretary
Susan Finley
Senior Clerk
Teri Murphy

On the cover: An oil painting, entitled Mt. Diablo & Hills, by Danville artist Richard David Johnson.



Field Crops



		Product	ion				Value
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	<u>Unit</u>	Unit	Total
Field Corn	2005	5,440	4.26	23,200	Ton	98.20	2,278,000
	2004	5,880	8.56	50,300	Ton	102.00	5,131,000
Hay							
Alfalfa	2005	3,280	5.50	18,000	Ton	125.00	2,250,000
	2004	3,490	5.60	19,500	Ton	107.00	2,087,000
Grain	2005	1,570	2.42	3,800	Ton	77.30	294,000
	2004	1,850	2.00	3,700	Ton	80.20	297,000
Pasture							
Irrigated	2005	5,960			Acre	100.00	596,000
	2004	5,060			Acre	100.00	506,000
Rangeland	2005	169,000			Acre	22.50	3,803,000
Rangeland	2003	169,000*			Acre	22.60	3,803,000
Safflower	2005	822	1.05	863	Ton	237.00	205,000
Camowei	2004	115	0.95	109	Ton	209.00	22,800
Wheat	2005	1,530	1.99	3,040	Ton	112.00	340,000
	2004	1,900	1.96	3,720	Ton	117.00	435,000
Miscellaneous	2005	2,120					505,000
Field Crops***	2004	1,590					491,000
Total	2005	189,722					\$10,271,000
	2004	188,885**					\$12,788,800**

^{*} Revised rangeland acreage data from the California Department of Conservation

^{** 2004} value revised

^{***} Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass



Vegetable & Seed Crops



		Produc	tion				Value
Crop	Year	Harvested Acreage	Per Acre	Total	Unit	Per Unit	Total
Beans	2005	310	3.71	1,150	Ton	996.00	1,145,000
	2004	320	4.07	1,300	Ton	976.00	1,269,000
Onions	2005	38	7.98	303	Ton	495.00	150,000
	2004	7	13.00	91	Ton	534.00	48,600
Squash	2005	19	3.41	65	Ton	1,180.00	76,700
	2004	18	3.00	54	Ton	756.00	40,800
Sweet Corn	2005	3,850	10.10	38,900	Ton	370.00	14,393,000
	2004	3,750	10.70	40,100	Ton	321.00	12,870,000
Tomatoes Total	2005 2004	1,181 1,165		48,610 52,130	Ton Ton		3,500,000 3,189,000
Fresh	2005	101	14.00	1,410	Ton	758.00	1,069,000
	2004	105	10.80	1,130	Ton	656.00	741,000
Processing	2005	1,080	43.70	47,200	Ton	51.50	2,431,000
	2004	1,060	48.10	51,000	Ton	48.00	2,448,000
Miscellaneous Vegetable & Seed Crops*	2005 2004	1,550 1,540					4,296,000 3,942,000
Total	2005 2004	6,948 6,800					\$23,560,700 \$21,359,400

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Melons, Peas, Peppers, Potatoes, Pumpkins



Fruit & Nut Crops



		Product	ion			,	Value
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	Unit	Unit	<u>Total</u>
Apples	2005 2004	304 575	8.12 9.71	2,470 5,580	Ton Ton	590.00 357.00	1,457,000 1,992,000
Apricots							
Total	2005 2004	542 534	6.82 7.06	3,696 3,770	Ton Ton		1,295,000 1,354,000
Fresh	2005 2004			196 310	Ton Ton	1,250.00 1,020.00	245,000 316,000
Processing	2005 2004			3,500 3,460	Ton Ton	300.00 300.00	1,050,000 1,038,000
Cherries	2005 2004	334 319	1.49 1.84	498 587	Ton Ton	2,870.00 2,690.00	1,429,000 1,579,000
Grapes	2005 2004	1,940 1,980	4.58 4.16	8,890 8,240	Ton Ton	889.00 851.00	7,903,000 7,012,000
Nectarines	2005 2004	39 37	3.73 3.50	145 130	Ton Ton	2,680.00 2,330.00	389,000 303,000
Peaches	2005 2004	164 177	4.46 4.21	731 745	Ton Ton	1,690.00 1,550.00	1,235,000 1,155,000
Plums	2005 2004	33 29	2.67 2.46	88 71	Ton Ton	1,830.00 1,400.00	161,000 99,400
Walnuts	2005 2004	723 802	2.06 1.67	1,490 1,340	Ton Ton	1,290.00 1,060.00	1,922,000 1,420,000
Miscellaneous Fruit & Nut Crops*	2005 2004	151 140					652,000 727,000
Total	2005 2004	4,230 4,675					\$16,443,000 \$15,907,400

^{*} Almonds, Asian Pears, Berries, Citrus, Figs, Olives, Pears, Pecans, Persimmons, Pistachios, Pluots, Prunes, Pomegranates, Quinces, Strawberries, and other Miscellaneous Tree Crops



Nursery Products



		Production	Production Area				
Crop	Year	House	Field	<u>Value</u>			
		Sq. Ft.	Acres	<u>Total</u>			
Bedding Plants	2005 2004	1,224,000	40.60	19,480,000			
	2004	1,284,000*	42.60*	21,470,000			
Herbaceous	2005	882,000	13.60	1,635,000			
Perennials	2004	962,000*	14.10*	2,394,000			
Indoor	2005	480,000	0.20	1,188,000			
Decoratives	2004	479,000	0.20	1,454,000			
Vegetable Plants	2005	0	4.00	787,000			
	2004	0*	4.00*	1,115,000			
Cut Flowers **	2005	50,000	1.85	43,000			
	2004	52,800	4.30	58,400			
Miscellaneous	2005	82,000	23.40	1,511,000			
Nursery Crops ***	2004	160,000*	27.00*	1,850,000			
Total	2005	2,718,000	83.65	\$24,644,000			
	2004	2,937,800*	92.20*	\$28,341,400			

^{* 2004} production area values revised

^{**} Alstromeria, Carnations, Gerbera, Lilies, Roses, Misc. Flowers

^{***} Christmas Trees, Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets, Ornamental Trees & Shrubs, Fruit Trees



Livestock



		Prod	uction		\	Value		
Item	Year	No. of Head	Total Liveweight	Unit	Per Unit	Total		
Cattle & Calves	2005 2004	16,500 13,800*	122,000 94,700*	Cwt Cwt	92.70 95.20	11,309,000 9,015,000*		

					Value
Item	Year	Production		Per	_
			Unit	Unit	Total
Honey	2005	40,000	Lbs.	4.00	160,000
•	2004	40,000	Lbs.	4.00	160,000
Beeswax	2005	180	Lbs.	4.00	720
	2004	180	Lbs.	4.00	720
Pollination	2005	500	Colonies	100	50,000
	2004	500	Colonies	75.00	37,500
Miscellaneous	2005				500,000
Livestock Produc	2004				500,000
Total	2005				\$12,019,720
	2004				\$9,713,220*

^{* 2004} cattle values revised

^{**} Chickens, Ducks, Emus, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep, Turkeys, Milk, Wool, Eggs, Pollen



Recapitulation



	<u>Gross Value/I</u>	<u> Million Dollars</u>	Ranking		
Category	2005	2004	2005	2004	
Nursery Products	24.6	28.3	1	1	
Vegetable & Seed Crops	23.6	21.3	2	2	
Fruit & Nut Crops	16.4	15.9	3	3	
Livestock	12.0	9.7*	4	5	
Field Crops	10.3	12.8*	5	4	

	Gross	Value	Change	
Category	2005	2004	_	
Field Crops	10,271,000	12,788,800*	-2,517,800	
Vegetable & Seed Crops	23,560,700	21,359,400	2,201,300	
Fruit & Nut Crops	16,443,000	15,907,400	535,600	
Nursery Crops	24,644,000	28,341,400	-3,697,400	
Livestock	12,019,720	9,713,220*	2,306,500	
Total	\$86,938,420	\$88,110,220*	-1,171,800	
Total Acres in County		482.000		

Total Acres in County	482,000
Population in County **	1,020,898
Land in Farms - Acres ***	126,338
Harvested Cropland - Acres ***	26,018

^{* 2004} values revised

^{*** 2002} Census



No. of Farms Estimated Acres

Organic Farming

Apricots	Cherries	Grapes	Nectarines	Peaches	Pears	Pistachios, othe	Plums	Fruit, other	Herbs	Onions/Garlic/L	Sweet Corn	Vegetables, lea	Vegetables, roo	Vegetables, oth	Nursery Stock/F
3	3	2	2	2	2	2	3	2	3	2	2	3	2	2	3
11.3	15.0	0.6	17.0	40.0	8.0	36.8	5.3	1.5	1.5	0.2	0.5	3.3	0.3	1.5	1.8

^{**} January 2005



Million Dollar Crops



	<u>Gross Value/N</u>	<u> Ilillion Dollars</u>	Ranking		
Category	2005	2004	2005	2004	
Bedding Plants	19.5	21.5	1	1	
Sweet Corn	14.4	12.9	2	2*	
Cattle & Calves	11.3	9.0*	3	3*	
Grapes	7.9	7.0	4	4	
Miscellaneous Vegetables	4.3	3.9	5	6*	
Rangeland Pasture	3.8	3.8*	6	7*	
Tomatoes, All	3.5	3.2	7	8	
Field Corn	2.3	5.1	8	5*	
Hay - Alfalfa	2.3	2.1	9	10	
Walnuts	1.9	1.4	10	15	
Herbaceous Perennials	1.6	2.4	11	9	
Miscellaneous Nursery	1.5	1.9	12	12	
Apples	1.5	2.0	13	11	
Cherries	1.4	1.6	14	13	
Apricots, All	1.3	1.4	15	16	
Peaches	1.2	1.2	16	18	
Indoor Decoratives	1.2	1.5	17	14	
Beans	1.1	1.3	18	17	

^{* 2004} values revised



Biological Control



Pest	Agent/Mechanism	Scope of Program
Yellow Starthistle (Centaurea solstitialis)	Hairy Weevil (Eustenopus villosus)	Ongoing
(Certaurea soistitialis)	YST Flower Weevil (<u>Larinus curtus</u>)	Ongoing
	Rust Pathogen (<u>Puccinia jaceae var. solstitialis</u>)	Three releases
Red Gum Lerp Psyllid (Glycaspis brimblecombei)	Encytrid Parasitoid Wasp (Psyllaephagus bliteus)) Ongoing



Pest Exclusion



Shipments Inspected	Total Inspected	Rejections
Mail/UPS/Fed Ex	72,866	313
Truck shipments from within California	5,006	10
Truck shipments from other states	311	6
Household Goods	80	0

Quarantine Rejections	Rejections
Burrowing Nematode	8
Caribbean Fruit Fly	1
Cedar-Apple Rust	3
Cereal Leaf Beetle	3
Chestnut Bark/Oak Wilt Disease	1
Citrus Pests	9
Cornstalk/Sugarcane Borer	1
European Corn Borer	1
Japanese Beetle	9
Lethal Yellowing of Palm	1
Ozonium Root Rot	1
Plum Curculio	14
Sweet Potato Weevil	1
West Indian Sugarcan Root Borer	2
Origin/Markings	201

Live Pests

A & Q rated pests	79
Glassy-winged Sharpshooter	5
Other weed pests	10
Other pests	4

"A" and "Q" Rated Pests

Pests vary as to the level of potential harm they can do, so it is necessary to have a rating system to represent the statewide importance of the pest to the agricultural, horticultural, forestry, environmental, and public health interests of California. The rating of a pest also determines what action is taken when it is found, such as: quarantines, eradication, rejection, control, cleanliness standards, holding, inspection, and the establishment of control districts. Of special interest are pests that are rated "A" or "Q". These organisms have the potential to cause serious harm and require enforcement action when they are found. "A" rated pests, such as the Mediterranean Fruit Fly, are known to cause serious harm. "Q" rated pests are those that are suspected to cause serious harm but their status is uncertain because of incomplete information about the species.

Contra Costa County regularly intercepts many of these types of pests in quarantine inspections. The following were intercepted during inspections in 2005.

ANTO	Rating	Rejections
ANTS Technomyrmex albipes / White-footed Ant Pheidole megacephala / Bigheaded Ant Anoplolepis longipes / Longlegged Ant Other ant species	Q Q Q Q	13 6 2 4
SCALES Pseudaulacaspis cockerelli / Magnolia White Scale Pseudaulacaspis pentagona / White Peach Scale Milviscutulus mangiferae / Mango Shield Scale Pinnaspis uniloba/Unilobe Scale Other scale species	A A Q Q Q	7 3 3 1 4
MEALYBUGS Pseudococcus jackbeardsleyi/ Jack Beardsley Mealybug Maconellicoccus hirsutus / Pink Hibiscus Mealybug Planococcus minor/Passionvine Mealybug Other mealybug species	A A Q Q	1 1 2 4
WHITEFLIES Aleurodicus dispersus / Spiraling Whitefly	Q	3
OTHER INSECTS, MITES, & MOLLUSCS Kallitaxila granulata / Planthopper Cinara cedri/Aphid Stephanitis pyrioides/Azalea Lacebug Grasshopper / Katydid species Other Coleoptera species Other Homoptera species Other Lepidoptera species Mite species	0000000	2 2 1 3 1 2 1 2
WEEDS Sesbania punicea/Scarlet Wisteria Tree Panicum virgatum/Switchgrass Cuscuta japonica/Giant Dodder Other weed species	Q Q Q	2 1 1 1
PLANT DISEASES Phytophthora ramorum / Sudden Oak Death	Q	6







2006 Annual Grop Report









Contra Costa County Department of Agriculture/ Weights & Measures

Agricultural Commissioner - Director of Weights & Measures

Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

Deputy Agricultural Commissioner

Cathleen M. Roybal Larry Yost Joe Deviney

Deputy Sealer of Weights & Measures

Patrick J. Roof

Agricultural Biologist/Weights & Measures Inspector III

Ann McClure Patty Whitlock Ralph Fonseca
Gil Rocha Nancy Niemeyer Beth Slate
Jorge Vargas Arthur Mangonon Steve Reymann
Gene Mangini Cecilie Siegel-Sebolt

Agricultural Biologist II

Matthew Slattengren Abdoulaye Niang

Weights & Measures Inspector II

Ngozi Egbuna

Agricultural Biologist I

Chris deNijs Kathryn Wright Mariah Slusser

Weights & Measures Trainee

Keely Kirkman Patrick Bowen

Administrative Support

Executive Secretary Clerk

Susan Finley Roxann Crosby

On the Cover: Contra Costa County's new canine quarantine detection teams: Cecilie Siegel-Sebolt and Bella (left), Mariah Slusser and Bart (right).



Field Crops

		Product	ion	<u> </u>			Value
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	<u>Unit</u>	Unit	Total
Field Corn	2006 2005	5,690 5,440	3.96 4.26	22,500 23,200	Ton Ton	110.00 98.20	2,475,000 2,278,000
	2003	5,440	4.20	23,200	1011	90.20	2,270,000
Hay Alfalfa	2006	3,310	4.73	15,700	Ton	121.00	1,900,000
Allalla	2005	3,280	5.50	18,000	Ton	125.00	2,250,000
Grain	2006	1,580	2.76	4,360	Ton	58.50	255,000
	2005	1,570	2.42	3,800	Ton	77.30	294,000
Pasture							
Irrigated	2006 2005	7,360 5,960			Acre Acre	120.00 100.00	883,000 596,000
		0,000			7 10.0		223,222
Rangeland	2006	169,000			Acre	20.00	3,380,000
	2005	169,000			Acre	22.50	3,803,000
Safflower	2006	726	1.18	857	Ton	251.00	215,000
	2005	822	1.05	863	Ton	237.00	205,000
Wheat	2006	2,520	1.94	4,890	Ton	121.00	592,000
	2005	1,530	1.99	3,040	Ton	112.00	340,000
Miscellaneous	2006	1,810					472,000
Field Crops*	2005	2,120					505,000
Total	2006	191,996					\$10,172,000
	2005	189,722					\$10,271,000

^{*} Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass

Vegetable & Seed Crops



		Product	tion				Value
Crop	Year	Harvested	Per			Per	_
		<u>Acreage</u>	Acre	Total	<u>Unit</u>	Unit	<u>Total</u>
Beans	2006 2005	319 310	3.16 3.71	1,010 1,150	Ton Ton	1,040.00 996.00	1,050,000 1,145,000
Onions	2006 2005	39 38	6.95 7.98	271 303	Ton Ton	405.00 495.00	110,000 150,000
Squash	2006 2005	19 19	3.78 3.41	72 65	Ton Ton	1,150.00 1,180.00	82,800 76,700
Sweet Corn	2006 2005	3,550 3,850	9.88 10.10	35,100 38,900	Ton Ton	372.00 370.00	13,057,000 14,393,000
Tomatoes							
Total	2006 2005	1,500 1,181		67,908 48,610	Ton Ton		4,838,000 3,500,000
Fresh	2006 2005	40 101	15.20 14.00	608 1,410	Ton Ton	1,470.00 758.00	894,000 1,069,000
Processing	2006 2005	1,460 1,080	46.10 43.70	67,300 47,200	Ton Ton	58.60 51.50	3,944,000 2,431,000
Miscellaneous Vegetable & Seed Crops*	2006 2005	857 1,550					2,896,000 4,296,000
Total	2006 2005	6,284 6,948					\$22,033,800 \$23,560,700

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Peas, Peppers, Potatoes, Pumpkins

Fruit & Nut Crops



		Product	ion				Value
Crop	Year	Harvested	Per			Per	_
		Acreage	Acre	Total	<u>Unit</u>	Unit	<u>Total</u>
Apples	2006	262	7.00	1,830	Ton	490.00	897,000
	2005	304	8.12	2,470	Ton	590.00	1,457,000
Apricots							
Total	2006	519	6.63	3,738	Ton		1,714,000
	2005	542	6.82	3,696	Ton		1,295,000
Fresh	2006			238	Ton	2,790.00	664,000
	2005			196	Ton	1,250.00	245,000
Processing	2006			3,500	Ton	300.00	1,050,000
_	2005			3,500	Ton	300.00	1,050,000
Cherries	2006	364	1.41	513	Ton	3,180.00	1,631,000
	2005	334	1.49	498	Ton	2,870.00	1,429,000
Grapes	2006	1,940	4.42	8,570	Ton	771.00	6,607,000
-	2005	1,940	4.58	8,890	Ton	889.00	7,903,000
Nectarines	2006	39	2.57	100	Ton	3,190.00	319,000
	2005	39	3.73	145	Ton	2,680.00	389,000
Peaches	2006	157	3.07	482	Ton	1,270.00	612,000
	2005	164	4.46	731	Ton	1,690.00	1,235,000
Plums	2006	37	2.12	78	Ton	2,960.00	231,000
	2005	33	2.67	88	Ton	1,830.00	161,000
Walnuts	2006	513	1.78	913	Ton	1,420.00	1,296,000
	2005	723	2.06	1,490	Ton	1,290.00	1,922,000
Miscellaneous	2006	164					699,000
Fruit & Nut Crops		151					652,000
Total	2006	3,995					\$14,006,000
	2005	4,230					\$16,443,000


^{*} Almonds, Asian Pears, Berries, Citrus, Figs, Melons, Olives, Pears, Pecans, Persimmons, Pistachios, Pluots, Prunes, Pomegranates, Quinces, Strawberries

Nursery Products



		Production	n Area	Value
Crop	Year	House	Field	
		Sq. Ft.	Acres	Total
		-		
Bedding Plants	2006	1,144,000	40.30	13,720,000
_	2005	1,224,000	40.60	19,480,000
Herbaceous	2006	857,000	14.30	1,521,000
Perennials	2005	882,000	13.60	1,635,000
Indoor	2006	515,000	0	1,078,000
Decoratives	2005	480,000	0.20	1,188,000
Vegetable Plants	2006	0	4.00	581,000
	2005	0	4.00	787,000
Miscellaneous	2006	82,000	31.30	1,597,000
Nursery Crops *	2005	82,000	23.40	1,511,000
Total	2006	2,598,000	89.90	\$18,497,000
	2005	2,718,000	83.65	\$24,644,000

^{*} Christmas Trees, Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets, Ornamental Trees & Shrubs, Fruit Trees, Cut Flowers.




Livestock

		Prod	duction		\	/alue
Item	Year	No. of Head	Total Liveweight	Unit	Per Unit	Total
Cattle & Calves	2006 2005	25,800 16,500	194,000 122,000	Cwt Cwt	92.30 92.70	17,906,000 11,309,000

		_			/alue
Item	Year	Production		Per	
			Unit	Unit	Total
Honey	2006 2005	40,000 40,000	Lbs. Lbs.	6.00 4.00	240,000 160,000
Beeswax	2006 2005	300 180	Lbs. Lbs.	4.00 4.00	1,200 720
Pollination	2006 2005	500 500	Colonies Colonies	140.00 100.00	70,000 50,000
Miscellaneous Livestock and Livestock Produ	2006 2005 cts*				500,000 500,000
Total	2006 2005				\$18,717,200 \$12,019,720

^{*} Chickens, Ducks, Emus, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep, Turkeys, Milk, Wool, Eggs, Pollen



Recapitulation

	Gross Value/I	Million Dollars	<u>Ranking</u>	
Category	2006	2005	2006	2005
Vegetable & Seed Crops	22.0	23.6	1	2
Livestock	18.7	12.0	2	4
Nursery Products	18.5	24.6	3	1
Fruit & Nut Crops	14.0	16.4	4	3
Field Crops	10.2	10.3	5	5

	Gros	Change	
Category	2006	2005	<u> </u>
Field Crops	10,172,000	10,271,000	-99,000
Vegetable & Seed Crops	22,033,800	23,560,700	-1,526,900
Fruit & Nut Crops	14,006,000	16,443,000	-2,437,000
Nursery Crops	18,497,000	24,644,000	-6,147,000
Livestock	18,717,200	12,019,720	6,697,480
Total	\$83,426,000	\$86,938,420	-3,512,420
Total Acres in County		482,000	
Population in County January	2006	1,029,377	
Land in Farms - Acres (2002 C	Census)	126,338	
Harvested Cropland - Acres (2	002 Census)	26,018	

Organic Farming										ic/Leeks		leafy	root	other	ducts	
	Apricots	Cherries	Citrus	Nectarines	Peaches	Pears	Nuts	Plums	Fruit, other	Herbs	Onions/Garl	Sweet Corn	Vegetables,	Vegetables,	Vegetables,	Nursery pro
No. of Farms Estimated Acres	2 18.0	2 11.5	2 1.3	2 14.5	2 34.5	2 6.5	2 40.0	2 8.0	3 1.9	2 1.3	2 0.2	2 0.5	2 3.2	2 0.4	2 1.6	3 1.8



Million Dollar Crops

	Gross Value/N	<u> Iillion Dollars</u>	Ranking		
Category	2006	2005	2006	2005	
Cattle & Calves	17.9	11.3	1	3	
Bedding Plants	13.7	19.5	2	1	
Sweet Corn	13.1	14.4	3	2	
Grapes	6.6	7.9	4	4	
Tomatoes, All	4.8	3.5	5	7	
Rangeland Pasture	3.4	3.8	6	6	
Miscellaneous Vegetables	2.9	4.3	8	5	
Field Corn	2.5	2.3	7	8	
Hay - Alfalfa	1.9	2.3	9	9	
Cherries	1.6	1.4	10	14	
Apricots, All	1.6	1.3	11	15	
Miscellaneous Nursery	1.6	1.5	12	12	
Herbaceous Perennials	1.5	1.6	13	11	
Walnuts	1.3	1.9	14	10	
Indoor Decoratives	1.1	1.2	15	17	
Beans	1.1	1.1	16	18	

Biological Control

Pest	Agent/Mechanism	Scope of Program
Yellow Starthistle	Hairy Weevil (Eustenopus villosus)	Ongoing
(<u>Centaurea solstitialis</u>)	YST Flower Weevil (<u>Larinus curtus</u>)	Ongoing
	Rust Pathogen (<u>Puccinia jaceae var. solstitialis</u>)	Ongoing
Red Gum Lerp Psyllid (Glycaspis brimblecombei)	Encytrid Parasitoid Wasp (Psyllaephagus bliteus)	Ongoing

Pest Exclusion

Other live pests





Diaprepes Weevil

Mediterranean Fruit Fly

Shipments Inspected	Total Inspected	Rejections
Mail/UPS/Fed Ex	60,482	353
Truck shipments from within California	5,042	4
Truck shipments from other states	275	8
Household Goods	149	0

Quarantine Rejections	Rejections
Burrowing Nematode	3
Caribbean Fruit Fly	3
Cedar-Apple Rust	12
Cereal Leaf Beetle	2
Citrus Pests	14
Japanese Beetle	11
Plum Curculio	6
West Indian Sugarcane Root Borer	1
Walnut Pests	1
Cherry Fruit Fly	1
Gypsy Moth	1
Colorado Potato Beetle	3
Glassywinged Sharpshooter	2
Nursery Stock Certificate	9
Origin/Markings	131
Target Pests	
A & Q rated pests total	137
live pests found	73
Live Glassy-winged Sharpshooter	4
Other live weed pests	5

"A" and "Q" Rated Pests

10

Pests vary as to the level of potential harm they can do, so it is necessary to have a rating system to represent the statewide importance of the pest to the agricultural, horticultural, forestry, environmental, and public health interests of California. The rating of a pest also determines what action is taken when it is found, such as: quarantines, eradication, rejection, control, cleanliness standards, holding, inspection, and the establishment of control districts. Of special interest are pests that are rated "A" or "Q". These organisms have the potential to cause serious harm and require enforcement action when they are found. "A" rated pests, such as the Mediterranean Fruit Fly, are known to cause serious harm. "Q" rated pests are those that are suspected to cause serious harm but their status is uncertain because of incomplete information about the species.

Interceptions in 2006






Longlegged Ant

Magnolia White Scale

ANTO	Rating	Rejections
ANTS Solenopsis invicta / Red Imported Fire Ant Technomyrmex albipes / White-footed Ant Pheidole megacephala / Bigheaded Ant Other ant species	A Q Q Q	1 11 6 2
SCALES Pseudaulacaspis cockerelli / Magnolia White Scale Pseudaulacaspis pentagona / White Peach Scale Pinnaspis strachami / Lesser Snow Scale Pinnaspis buxi / Boxwood Scale Pseudaulacaspis brimblecombei / Macadamia White Scal Vinsonia stelllifera / Stellate Scale Aulacaspis yasumatsui / Cycad Aulacaspis	A A A A Q Q	7 1 2 1 4 1
MEALYBUGS Maconellicoccus hirsutus / Pink Hibiscus Mealybug Other mealybug species	A Q	1 13
WHITEFLIES Aleurodicus dispersus / Spiraling Whitefly Orchamoplatus mammaeferus/Croton Whitefly	Q Q	2 2
OTHER INSECTS, MITES, & MOLLUSCS Darna pallivitta / Stinging Nettle Caterpillar Chrysodeixis eriosoma / Green Garden Looper Kallitaxila granulata / Planthopper Stephanitis pyriodes / Azalea Lace Bug Other thrip species Other Homoptera species Other Lepidoptera species Other mite species Other gastropod species	A A Q Q Q Q Q Q Q	1 1 1 1 7 2 1
WEEDS Cuscuta japonica/Giant Dodder Panicum virgatum/Switchgrass Other weed species	A Q Q	8 2 2
PLANT DISEASES Phytophthora ramorum / Sudden Oak Death	Q	4



When A Serious Exotic Pest Has Been Found: What's The Next Step?

As many people know, California has a pest detection program to find exotic plant pests before they grow into infestations costing hundreds of millions of dollars to eradicate. If not eradicated, these pests could cause the loss of foreign and domestic markets for California produce, serious harm to native plants, increased use of pesticides, and reduced yield and quality of California fruits, vegetables, and nursery products. But very few people know just what happens when a serious pest has been found.

The first step in the process consists of a delimitation project to find out the size of the infestation. For insects, this is usually done with detection traps. The traps may be baited with pheromones, a chemical perfume that attracts the male insect, or with a food lure to attract both males and females. During some insect delimitations, up to 1,000 traps per square mile may be used. For weed and disease pests, the delimitation step is much harder. It is necessary to physically survey the area or rely on reports from the public in order to find infestation sites. During a plant disease delimitation, samples from infected plants must be cultured in order to get a positive identification.

It is important to prevent the pest from spreading any further, so infested areas will be placed under quarantine immediately. The quarantine will control the movement of fruits, vegetables, nursery plants etc. that could carry the pest into uninfested areas. Often, additional items, such as soil, firewood, and harvest equipment, will also be restricted because life stages of the pest may hide in them.

The next step is to try to reduce and/or eradicate the pest in the infested areas. The most direct method to do this is to remove something the pest needs in order to complete its life cycle. For insects, this is usually done by removing the larval food or by preventing females from laying fertile eggs. This last method has proved to be the most effective and can be done in a variety of ways. Many male insects find mates by following a trail of pheromones put out by the female. These pheromones can be synthesized and applied to an area in large amounts, keeping the males from tracking the females. Another way to prevent female insects from laying fertile eggs is to release a large number of sterile males. The females are unlikely to find a fertile male in the crowd of sterile ones.

Physical or chemical methods can be an effective way to eradicate pests from an infested area. There are some parasitic weeds that can grow from even the tiniest fragment and must be removed along with their host plants and buried deep in a landfill. Other types of weeds are controlled by burning or by discing the soil. It may sometimes be necessary to use insecticides to kill insects or herbicides to kill weed pests. Biological control agents such as parasitic or predatory insects are often helpful when used together with other eradication methods. However, there are cases in which it may simply be impossible to successfully eradicate a pest.







Exotic pests threaten production agriculture, nurseries, and the natural environment.

Several very serious pests have been found in the San Francisco Bay Area within the last year; Mediterranean Fruit Fly (Medfly), Light Brown Apple Moth (LBAM), Japanese Dodder (a parasitic weed), Red Sesbania (a weed of riparian areas), and Sudden Oak Death (a plant disease). All are considered to be very serious threats because they have the potential to cause severe harm to both agriculture and the environment.





Mediterranean Fruit Fly (Medfly):

What is it: a fly that attacks over 260 types of fruits and vegetables. Medfly is a short, squat fly about 1/4 inches long that lays its eggs under the skin of fruits and vegetables. The larvae tunnel through the fruit as they feed and decay organisms enter, leaving the interior a rotten mass unfit for human consumption. Medfly is native to Africa, but has spread to other parts of the world including the Mediterranean, southern Europe, Australia, the Caribbean, South America, the New World tropics, and Hawaii.



Mediterranean Fruit Fly: (from left to right) adult fly, larvae, locations in the San Francisco Bay Area where it has been found in 2007.

Where is it in the Bay Area and how did it get here: in fall 2007, infestations were found in Dixon (Solano County) and San Jose (Santa Clara County). They probably were started when larvae infested fruit was brought back from Mexico, Hawaii, or some other vacation destination. The USDA Smuggling Interdiction Team has been investigating to identify the persons responsible for these two infestations.

What is being done about it: as of the end of 2007, Dixon had a quarantine covering 114 square miles and delimitation trapping over 90 square miles. In San Jose, the quarantine area was 75 square miles and the delimitation area was 81 square miles. In areas where Medfly larvae have been found, fruit has been stripped from host trees to remove larval food and ground sprays have been applied to kill adult flies. Both the Dixon and San Jose areas have had releases of sterile male Medflies that will continue twice a week throughout several life cycle's time. If no more wild Medflies are found, the quarantines could be lifted sometime in late 2008 or early 2009.

Light Brown Apple Moth (LBAM):

What is it: a moth that attacks over 2,000 types of agricultural, landscape and native plants. Adults are light brown and about 3/8 inches long. The larvae are green in color with a brown head and typically stick or roll leaves and buds together with silk webbing to make shelters. LBAM is native to Australia, but has spread to Hawaii, New Zealand, and Great Britain.

Where is it in the Bay Area and how did it get here: in early 2007, LBAM was first discovered in Alameda





County. By December 2007, it had been found in all of the Bay Area counties except Sonoma. LBAM probably was introduced into California in infested nursery stock from Australia.

What is being done about it: as of December 2007, there were areas under quarantine for LBAM in seven of the nine Bay Area counties (the quarantine in Napa County was lifted in December 2007). Ground applications of B. t., a biocontrol agent, have been made to treat small, isolated infestations in Contra Costa and Napa Counties. Other small infestations in Contra Costa, Napa, Alameda, Santa Clara, and Solano Counties have been treated using pheromone impregnated twist ties. In some of these areas, there have been no more LBAM life



Light Brown Apple Moth: (from left to right) adult male, larvae, locations where it had been found in the Bay Area in 2007.

stages found and the quarantines have been lifted. There are plans to apply LBAM pheromones by air in some parts of the Bay Area starting in late summer 2008. For the future, it may be possible to develop a sterile male release program for LBAM similar to the one used for Medfly.





Japanese Dodder:

What is it: a weed from Asia that looks like yellow-green or orange spaghetti. Japanese Dodder is a rapidly growing (up to six inches per day) parasitic vine capable of feeding on a wide range of landscape, crop, and native plants. It produces modified roots that take water and nutrients from its host, eventually causing weakness and death. Japanese Dodder's seeds can remain viable in the soil for up to 30 years and even tiny fragments of the plant carried by wind, water, or animals can infect any other plants they contact.

Where is it in the Bay Area and how did it get here: as of December 2007, Japanese Dodder had been found at over 70 properties in Alameda, Contra Costa, and Solano Counties. This



Japanese Dodder: (from left to right) growth on a landscape plant, vine strands, locations where it has been found in the Bay Area in 2007.

number will likely increase as surveys and public education continue. Both the seeds and strands are thought in Asia to have medicinal uses and it may first have been introduced into California as seeds in herbal supplements. In some areas, Japanese Dodder is probably being intentionally grown.

What is being done about it: the only way to control Japanese Dodder is to physically remove it along with its host plant and bury it in a landfill. This means having to cut out and dispose of plants ranging in size from small weeds to huge trees. USDA has stepped up efforts to inspect herbal medicine shipments that could contain Japanese Dodder seeds. In spite of U.S. import regulations requiring that the seeds in these herbal remedies be sterilized, viable seeds have often been found.





Red Sesbania:

What is it: a poisonous woody shrub from southern South America that grows up to fifteen feet tall with a trunk diameter of up to six inches. Each plant matures rapidly, producing bright red flowers and hundreds of seed pods that float downstream. Red Sesbania forms dense thickets along rivers and creeks, displacing native plants needed by wildlife for food and cover. The dense clusters prevent access to rivers, block waterways, and can increase bank erosion and flooding.



Red Sesbania: (from left to right) growth in a wetland, flowers, locations where it has been found in the Bay Area in 2007.

Where is it in the Bay Area and how did it get here: as of

December 2007, Red Sesbania has been found growing in wetland areas in central and northern Contra Costa County and also near Santa Rosa in Sonoma County. It will probably be found in other areas in the Bay Area as surveys continue. Red Sesbania was introduced into California as an ornamental plant because of its brightly colored flowers and may be found planted in older gardens.

What is being done about it: Red Sesbania is removed by hand-pulling smaller plants and cutting down larger ones together with treating the stumps to prevent resprouting. Seed pods are collected, bagged, and buried in a landfill. Since Red Sesbania is considered a noxious weed, it is illegal to sell it or even bring it into California. In spite of this, it is still sometimes found for sale in nurseries.

Sudden Oak Death (SOD):

What is it: a fungal disease that infects over 100 kinds of ornamental and native plants. Symptoms range from leaf spots, seeping bark cankers, and twig dieback, to the sudden death of an entire tree. SOD is thought to be





spread in forests by spores carried in rainwater and soil. When conditions are cool and moist, spores may also be blown by the wind. SOD has caused widespread dieback of several tree species in forests in California and Oregon as well as affecting many other types of plants.

Where is it in the Bay Area and how did it get here: SOD has been found in all nine Bay Area Counties, primarily in coastal regions and inland valleys that receive cooling from fog. SOD was first identified on rhododendrons in Europe and was probably introduced into California on infected nursery stock.



Sudden Oak Death: (left to right) leaf spotting symptoms, tree death in a forest, locations where it has been found in the Bay Area.

What is being done about it: in wild lands and urban areas, there are no physical, chemical, or biological control methods known for SOD. Some nurseries have been able to control the disease within their growing grounds using a combination of sanitation, fungicides, and the culling of any plants with SOD symptoms. All nine Bay Area Counties are currently under quarantine to restrict the movement of nursery stock, wood, soil, green waste, etc. that might carry the disease or its spores to new areas. Nurseries inside the quarantined areas must be under a compliance agreement in order to ship host plants to non-infested areas. The compliance agreement includes visual inspections of shipments and an annual inspection where host plants are sampled and cultured for SOD.

Infestations of exotic pests are a serious concern to both California and to the Federal Government. Exotic plant pests that became established in California could spread into other states and threaten their agriculture industries and the environment. California and the rest of the nation could face enormous losses in export markets as a result of quarantines established by our international trading partners against exotic plant pests, diseases, and weeds. There already have been specific quarantines for Medfly, LBAM, and SOD placed on the Bay Area Counties that restrict the ability of local growers to market and ship their agricultural commodities.

When exotic plant pest infestations are found, it is important to respond as soon as possible. The longer a pest population exists, the greater the chance it will spread and become permanently established. Small populations can be controlled and eradicated more successfully than large ones. Too much delay only allows the problem to grow out of control.

Contra Costa County Department of Agriculture/ Weights & Measures

Agricultural Commissioner - Director of Weights & Measures

Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

Deputy Agricultural Commissioner

Cathleen M. Roybal Larry Yost Joe Deviney

Deputy Sealer of Weights & Measures

Patrick J. Roof

Agricultural Biologist/Weights & Measures Inspector III

Ann McClure	Patty Whitlock	Ralph Fonseca
Gil Rocha	Nancy Niemeyer	Beth Slate
Jorge Vargas	Arthur Mangonon	Steve Reymann
Gene Mangini	Matthew Slattengren	Cecilie Siegel-Sebolt

Agricultural Biologist II

Abdoulaye Niang

Weights & Measures Inspector II

Ngozi Egbuna

Agricultural Biologist I

Chris deNijs Kathryn White Mariah Slusser

Weights & Measures Inspector I

Keely Kirkman Patrick Bowen Gabriel Adebote

Administrative Support

Executive Secretary
Susan Finley
Source
Susan Finley
Senior Clerk
Roxann Crosby



Field Crops

		Product	ion				Value
Crop	Year	Harvested	Per			Per	_
	,	Acreage	Acre	Total	Unit	Unit	<u>Total</u>
Field Corn	2007 2006	7,210 5,690	3.88 3.96	28,000 22,500	Ton Ton	145.00 110.00	4,060,000 2,475,000
Нау							
Alfalfa	2007 2006	3,840 3,310	5.91 4.73	22,700 15,700	Ton Ton	158.00 121.00	3,587,000 1,900,000
Grain	2007 2006	1,200 1,580	2.17 2.76	2,600 4,360	Ton Ton	97.30 58.50	253,000 255,000
Pasture Irrigated	2007 2006	6,790 7,360			Acre Acre	185.00 120.00	1,256,000 883,000
Rangeland	2007 2006	169,000 169,000			Acre Acre	20.00 20.00	3,380,000 3,380,000
Wheat	2007 2006	1,260 2,520	1.59 1.94	2,000 4,890	Ton Ton	163.00 121.00	326,000 592,000
Miscellaneous Field Crops*	2007 2006	2,360 2,540**					715,000 687,000**
Total	2007 2006	191,660 191,996					\$13,577,000 \$10,172,000

^{*} Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass, Safflower

^{**}Revised value

Vegetable & Seed Crops



		Produc				Value	
Сгор	Year	Harvested Acreage	Per Acre	Total	Unit	Per Unit	Total
Beans	2007	361	3.85	1,390	Ton	1,080.00	1,501,000
	2006	319	3.16	1,010	Ton	1,040.00	1,050,000
Onions	2007	9	4.68	42	Ton	1,120.00	47,000
	2006	39	6.95	271	Ton	405.00	110,000
Squash	2007	16	3.60	58	Ton	994.00	57,700
	2006	19	3.78	72	Ton	1,150.00	82,800
Sweet Corn	2007	3,560	10.10	36,000	Ton	367.00	13,212,000
	2006	3,550	9.88	35,100	Ton	372.00	13,057,000
Tomatoes Total	2007 2006	1,568 1,500		78,744 67,908	Ton Ton		5,893,000 4,838,000
Fresh	2007	48	15.50	744	Ton	1,190.00	885,000
	2006	40	15.20	608	Ton	1,470.00	894,000
Processing	2007	1,520	51.30	78,000	Ton	64.20	5,008,000
	2006	1,460	46.10	67,300	Ton	58.60	3,944,000
Miscellaneous Vegetable & Seed Crops*	2007 2006	1,450 857					4,996,000 2,896,000
Total	2007 2006	6,964 6,284					\$25,706,700 \$22,033,800

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Peas, Peppers, Potatoes, Pumpkins

Fruit & Nut Crops



Production						,	Value
Crop	Year	Harvested	Per			Per	_
		Acreage	Acre	Total	<u>Unit</u>	Unit	Total
Apples	2007	270	6.34	1,710	Ton	515.00	881,000
••	2006	262	7.00	1,830	Ton	490.00	897,000
Apricots							
Total	2007	533	6.84	3,665	Ton		1,268,000
	2006	519	7.20**	3,738	Ton		1,714,000
Fresh	2007			145	Ton	1,510.00	219,000
	2006			238	Ton	2,790.00	664,000
Processing	2007			3,520	Ton	298.00	1,049,000
G	2006			3,500	Ton	300.00	1,050,000
Cherries	2007	297	1.87	555	Ton	3,090.00	1,715,000
	2006	364	1.41	513	Ton	3,180.00	1,631,000
Grapes	2007	1,910	4.79	9,150	Ton	671.00	6,140,000
•	2006	1,940	4.42	8,570	Ton	771.00	6,607,000
Nectarines	2007	38	1.79	68	Ton	3,190.00	217,000
	2006	39	2.57	100	Ton	3,190.00	319,000
Peaches	2007	151	3.50	529	Ton	1,640.00	868,000
	2006	157	3.07	482	Ton	1,270.00	612,000
Plums and Pluots	2007	36	1.61	58	Ton	1,920.00	111,000
	2006	39**	2.03**	79**	Ton	2,960.00	234,000**
Walnuts	2007	468	1.78	833	Ton	1,740.00	1,449,000
	2006	513	1.78	913	Ton	1,420.00	1,296,000
Miscellaneous	2007	167					847,000
Fruit & Nut Crops*	2006	162**					694,000**
Total	2007	3,870					\$13,496,000
	2006	3,995					\$14,006,000

^{*} Almonds, Asian Pears, Berries, Citrus, Figs, Melons, Olives, Pears, Pecans, Persimmons, Pistachios, Prunes, Pomegranates, Quinces, Strawberries

^{**} Revised value

Nursery Products



		n Area	Value	
Crop	Year	House	Field	
		Sq. Ft.	Acres	Total
		-		
Bedding Plants	2007	786,000	24.50	8,094,000
_	2006	1,144,000	40.30	13,720,000
Herbaceous	2007	493,000	12.90	1,157,000
Perennials	2006	857,000	14.30	1,521,000
Indoor	2007	346,000	0.50	676,000
Decoratives	2006	515,000	0	1,078,000
Vegetable Plants	2007	1,000	2.60	382,000
J	2006	0	4.00	581,000
Miscellaneous	2007	56,700	51.70	1,551,000
Nursery Crops *	2006	82,000	31.30	1,597,000
Total	2007	1,682,700	92.20	\$11,860,000
	2006	2,598,000	89.90	\$18,497,000

^{*} Christmas Trees, Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets, Ornamental Trees & Shrubs, Fruit Trees, Cut Flowers.



Livestock

		Prod	duction			Value
Item	Year	No. of Head	Total <u>Liveweight</u>	Unit	Per Unit	Total
Cattle & Calves	2007 2006	18,000 25,800	126,000 194,000	Cwt Cwt	88.90 92.30	11,201,000 17,906,000

Item	Year	Production		Value	
				Per	
			Unit	Unit	Total
Honey	2007	32,000	Lbs.	7.00	224,000
	2006	40,000	Lbs.	6.00	240,000
Beeswax	2007	240	Lbs.	4.00	960
	2006	300	Lbs.	4.00	1,200
Pollination	2007	500	Colonies	150.00	75,000
	2006	500	Colonies	140.00	70,000
Miscellaneous	2007				500,000
Livestock and Livestock Produ	2006				500,000
Total	2007				\$12,000,960
	2006				\$18,717,200

^{*} Chickens, Ducks, Emus, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep, Turkeys, Milk, Wool, Eggs, Pollen



Recapitulation

	Gross Value/I	Million Dollars	Ran	king
Category	2007	2006	2007	2006
Vegetable & Seed Crops	25.7	22.0	1	1
Field Crops	13.6	10.2	2	5
Fruit & Nut Crops	13.5	14.0	3	4
Livestock	12.0	18.7	4	2
Nursery Products	11.9	18.5	5	3

	Gro	Gross Value	
Category	2007	2006	
Field Crops	13,577,000	10,172,000	3,405,000
Vegetable & Seed Crops	25,706,700	22,033,800	3,672,900
Fruit & Nut Crops	13,496,000	14,006,000	-510,000
Nursery Crops	11,860,000	18,497,000	-6,637,000
Livestock	12,000,960	18,717,200	-6,716,240
Total	\$76,640,660	\$83,426,000	-6,785,340
Total Acres in County		482,000	
Population in County January 2007		1,042,341	
Land in Farms - Acres (2002	Census)	126,338	
Harvested Cropland - Acres	(2002 Census)	26,018	

Organic Farming Nursery products Vegetables, leafy Vegetables, root Peas/Beans **Sweet Corn** Nectarines Pistachios Tomatoes Cherries Peaches Plums 1 2 5.0 1.5 2 1 3 2.3 25.0 56.5 2 No. of Farms 11.0 45.0 17.0 40.0 8.0 40.0 **Estimated Acres**



Million Dollar Crops

	Gross Value/N	<u>lillion Dollars</u>	Rar	ıking
Category	2007	2006	2007	2006
Sweet Corn	13.2	13.1	1	3
Cattle & Calves	11.2	17.9	2	1
Bedding Plants	8.1	13.7	3	2
Grapes	6.1	6.6	4	4
Tomatoes, All	5.9	4.8	5	5
Miscellaneous Vegetables	5.0	2.9	6	7
Field Corn	4.1	2.5	7	8
Hay - Alfalfa	3.6	1.9	8	9
Rangeland Pasture	3.4	3.4	9	6
Cherries	1.7	1.6	10	10
Miscellaneous Nursery	1.6	1.6	11	12
Beans	1.5	1.1	12	16
Walnuts	1.4	1.3	13	14
Apricots, All	1.3	1.6	14	11
Irrigated Pasture	1.3	0.9	15	
Herbaceous Perennials	1.2	1.5	16	13

Biological Control

Pest	Agent/Mechanism	Scope of Program
Yellow Starthistle (Centaurea solstitialis)	Hairy Weevil (Eustenopus villosus)	Ongoing
(Centaurea soistitialis)	YST Flower Weevil (<u>Larinus curtus</u>)	Ongoing
	Rust Pathogen (<u>Puccinia jaceae var. solstitialis</u>)	Ongoing
Red Gum Lerp Psyllid (<u>Glycaspis brimblecombei</u>)	Encytrid Parasitoid Wasp (Psyllaephagus bliteus)	Ongoing

Pest **Exclusion**





Japanese Beetle

Cedar Apple Rust

Shipments Inspected

Mail/UPS/Fed Ex/Express Carriers	91,973
Truck shipments from within California	5,741
Truck shipments from other states	184
Household Goods	92
Total A & Q Rated Pests Found	119

Total A & Q Rated Pests Found

		Canine
Quarantine Rejections	Total	Program*
Live Pests	46	3
Plum Curculio	13	2
Citrus Pests	8	
Japanese Beetle	7	
Cedar-Apple Rust	6	
Light Brown Apple Moth	6	3
Glassywinged Sharpshooter	5	2
Burrowing Nematode	4	1
Weed Pests	4	
Gypsy Moth	3	
European Corn Borer	2	1
Colorado Potato Beetle	2	
Caribbean Fruit Fly	2	
Cereal Leaf Beetle	1	
Pine Shoot Moth	1	
Cherry Fruit Fly	1	
Chestnut Bark & Oak Wilt	1	
Nursery Stock Certificate	19	1
Hawaii Certification	2	1
Reasonable Cause	13	3
Origin/Markings	244	27
Total	390	44

^{*} Contra Costa County has two canine detection teams. These values represent finds in Contra Costa County only.

"A" and "Q" Rated Pests

Pests vary as to the level of potential harm they can do, so it is necessary to have a rating system to represent the statewide importance of the pest. Of special interest are pests that are rated "A" or "Q". These organisms have the potential to cause serious harm and require enforcement action when they are found. "A" rated pests, such as the Mediterranean Fruit Fly, are known to cause serious harm. "Q" rated pests are those that are suspected to cause serious harm but their status is uncertain because of incomplete information about the species.

A & Q Pest Interceptions in 2007






White-footed Ant


Magnolia White Scale

ANTO	Rating	Rejections
ANTS Technomyrmex albipes / White-footed Ant	0	30
·	Q Q	30 14
Pheidole megacephala / Bigheaded Ant	Q	7
Other ant species	Q	1
SCALES		
Ceroplastes rubens / Red Wax Scale	Α	3
Pseudaulacaspis cockerelli / Magnolia White Scale	Α	
Pinnaspis strachami / Lesser Snow Scale	Α	2 2
Ceroplastes rusci / Fig Wax Scale	Α	1
Pseudaulacaspis brimblecombei / Macadamia White Sca	ıle Q	5
Pseudaonidia trilobitiformis / Trilobe Scale	Q	2
Vinsonia stelllifera / Stellate Scale	Q	1
Aulacaspis yasumatsui / Cycad Aulacaspis	Q	1
Melanaspis bromeliae / Brown Pineapple Scale	Q	1
Other scale species	Q	5
	_	-
MEALYBUGS		
Maconellicoccus hirsutus / Pink Hibiscus Mealybug	Α	2
Pseudococcus jackbeardsleyi / Jack Beardsley Mealybug	g Q	1
Other mealybug species	Q	3
OTUED MODEL MITTO & MOLLINGS		
OTHER INSECTS, MITES, & MOLLUSCS	•	4
Opeas pyrgula / Sharp Awlsnail	A	1
Orchamoplatus mammaeferus / Croton Whitefly	Q	3
Gyponana sp. / Leafhopper	Q	2
Kallitaxila sp. / Planthopper	Q	1
Oliarus discrepans / Planthopper	Q	1
Dichromothrips corbetti / Orchid Thrips	Q	1
Scotinophara sp. / Black Bug	Q	1
Dreissena polymorpha / Zebra Mussel	Q	1
WEEDS		
Cuscuta japonica / Giant Dodder	Α	22
Bupleurum rotundifolium / Hare's Ear	Q	2
Other weed species	Q	1
2	•	•
PLANT DISEASES		
Coleosporum plumeriae / Plumeria Rust	Q	3

Contra Costa County 2008 Annual Crop Report









Early wine labels from the Martinez area





Contra Costa County Department of Agriculture/ Weights & Measures

Agricultural Commissioner - Director of Weights & Measures Vince Guise

Chief Deputy Agricultural Commissioner/Sealer

Cathleen M. Roybal

Deputy Agricultural Commissioner

Larry Yost Joe Deviney

Deputy Sealer of Weights & Measures

Patrick J. Roof

Agricultural Biologist/Weights & Measures Inspector III

Ann McClure	Patty Whitlock	Ralph Fonseca
Gil Rocha	Nancy Niemeyer	Beth Slate
Jorge Vargas	Arthur Mangonon	Steve Reymann
Gene Mangini	Matthew Slattengren	Cecilie Siegel-Sebolt

Agricultural Biologist II

Abdoulaye Niang

Weights & Measures Inspector II

Ngozi Egbuna

Agricultural Biologist I

Chris deNijs Kathryn White Mariah Slusser

Weights & Measures Inspector I

Keely Kirkman Patrick Bowen Gabriel Adebote

Administrative Support

Executive SecretarySusan Griggs
Senior Clerk
Roxann Crosby

Susan Wright Retiree Volunteer
Suzanne Maddux

Pest Detection/GWSS/Pest Management

Dan Angcla K. C. Canario **Nancy Dennis** Michele Jensen Oscar Dillard Paul Greer Lon Kelsey Hardy Leopando Louellen Kelly Phyllis Lewis Virginia Mason Rick Mata Christine O'Boyle **Betsy Montgomery** Richard Padfield Eldren Prieto William Schaub Craig Shoener Susie Somers **Greg Spurlock** Lindsay Skidmore Samantha Tomlinson Zsuzsa Vnagy Oscar Zaldura

Plant Quarantine Detector Canines

Bella (handler: Cecilie Siegel-Sebolt)

Bart (handler: Mariah Slusser)



photo courtesy of the Muir Historical Site

On the Cover: This year's cover of the Contra Costa County 2008 Annual Crop Report features some early wine labels from the Martinez area. Prior to Prohibition, Martinez was the home to many wineries. As the photo above of the John Muir house in 1910 shows, there was considerable grape acreage planted in and around Martinez.

Field Crops



		<u>Product</u>	ion				Value
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	Unit	Unit	Total
Field Corn	2008 2007	7,700 7,210	4.00 3.88	30,800 28,000	Ton Ton	164.00 145.00	5,051,000 4,060,000
Hay							
Alfalfa	2008 2007	3,590 3,840	5.71 5.91	20,500 22,700	Ton Ton	184.00 158.00	3,772,000 3,587,000
Grain	2008 2007	1,540 1,200	2.76 2.17	4,250 2,600	Ton Ton	153.00 97.30	650,000 253,000
Pasture Irrigated	2008 2007	5,060 6,790			Acre Acre	180.00 185.00	911,000 1,256,000
Rangeland	2008 2007	169,000 169,000			Acre Acre	19.60 20.00	3,312,000 3,380,000
Wheat	2008 2007	634 1,260	2.22 1.59	1,410 2,000	Ton Ton	219.00 163.00	309,000 326,000
Miscellaneous Field Crops*	2008 2007	4,550 2,360					1,502,000 715,000
Total	2008 2007	192,074 191,660					\$15,507,000 \$13,577,000

^{*} Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass, Safflower

Vegetable & Seed Crops



		Product	tion				/alue
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	<u>Unit</u>	Unit	Total
Beans	2008	326	3.93	1,280	Ton	1,090.00	1,395,000
	2007	361	3.85	1,390	Ton	1,080.00	1,501,000
Onions	2008	5	5.61	28	Ton	1,810.00	50,700
	2007	9	4.68	42	Ton	1,120.00	47,000
Squash	2008	15	3.73	56	Ton	1,040.00	58,200
	2007	16	3.60	58	Ton	994.00	57,700
Sweet Corn	2008	3,280	10.20	33,500	Ton	403.00	13,500,000
	2007	3,560	10.10	36,000	Ton	367.00	13,212,000
Tomatoes Total	2008 2007	1,548 1,568		78,769 78,744	Ton Ton		6,382,000 5,893,000
Fresh	2008	48	18.10	869	Ton	934.00	812,000
	2007	48	15.50	744	Ton	1,190.00	885,000
Processing	2008	1,500	51.90	77,900	Ton	71.50	5,570,000
	2007	1,520	51.30	78,000	Ton	64.20	5,008,000
Miscellaneous Vegetable & Seed Crops*	2008 2007	378 1,450					1,768,000 4,996,000
Total	2008 2007	5,552 6,964					\$23,153,900 \$25,706,700

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Peas, Peppers, Potatoes, Pumpkins, Radishes

Fruit & Nut Crops



		Product	ion			,	Value
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	<u>Unit</u>	Unit	Total
Apples	2008	260	8.60	2,240	Ton	943.00	2,112,000
	2007	270	6.34	1,710	Ton	515.00	881,000
Apricots							
Total	2008	531	7.01	3,720	Ton		1,800,000
	2007	533	6.84	3,665	Ton		1,268,000
Fresh	2008			260	Ton	2,930.00	762,000
	2007			145	Ton	1,510.00	219,000
Processing	2008			3,460	Ton	300.00	1,038,000
_	2007			3,520	Ton	298.00	1,049,000
Cherries	2008	344	1.85	636	Ton	3,150.00	2,003,000
	2007	297	1.87	555	Ton	3,090.00	1,715,000
Grapes	2008	1,980	3.97	7,860	Ton	732.00	5,754,000
•	2007	1,910	4.79	9,150	Ton	671.00	6,140,000
Nectarines	2008	38	3.90	148	Ton	3,770.00	558,000
	2007	38	1.79	68	Ton	3,190.00	217,000
Peaches	2008	144	5.24	755	Ton	1,880.00	1,419,000
	2007	151	3.50	529	Ton	1,640.00	868,000
Plums and Pluots	2008	35	3.58	125	Ton	2,760.00	345,000
	2007	36	1.61	58	Ton	1,920.00	111,000
Walnuts	2008	466	2.22	1,030	Ton	1,400.00	1,442,000
	2007	468	1.78	833	Ton	1,740.00	1,449,000
Miscellaneous	2008	159					932,000
Fruit & Nut Crops		167					847,000
Total	2008	3,957					\$16,365,000
	2007	3,870					\$13,496,000

^{*} Almonds, Apriums, Asian Pears, Berries, Citrus, Figs, Melons, Olives, Pears, Pecans, Persimmons, Pistachios, Prunes, Pomegranates, Quinces, Strawberries

Nursery Products



		Production	n Area	<u>Value</u>
Crop	Year	House	Field	
		Sg. Ft.	Acres	Total
		·		
Bedding Plants	2008	151,000	3.10	1,051,000
	2007	786,000	24.50	8,094,000
Herbaceous	2008	78,400	4.05	1,321,000
Perennials	2007	493,000	12.90	1,157,000
Indoor	2008	120,000	0.10	159,000
Decoratives	2007	346,000	0.50	676,000
Vegetable Plants	2008	0	0.91	128,000
	2007	1,000	2.60	382,000
Miscellaneous	2008	0	44.90	820,000
Nursery Crops *	2007	56,700	51.70	1,551,000
Total	2008	349,400	53.06	\$3,479,000
	2007	1,682,700	92.20	\$11,860,000

^{*} Christmas Trees, Cactus, Ground Covers, Propagative Materials, Ornamental Trees & Shrubs, Fruit Trees, Cut Flowers.

Livestock



		Proc	duction		Value		
Item	Year	No. of Head			Per Unit	Total	
Cattle & Calves	2008 2007	20,100 18,000	141,000 126,000	Cwt Cwt	85.10 88.90	12,000,000 11,201,000	

				Value			
Item	Year	Production		Per	_		
			Unit	Unit	Total		
Honey	2008	24,000	Lbs.	7.00	168,000		
	2007	32,000	Lbs.	7.00	224,000		
Beeswax	2008	180	Lbs.	4.00	720		
	2007	240	Lbs.	4.00	960		
Pollination	2008	400	Colonies	150.00	60,000		
	2007	500	Colonies	150.00	75,000		
Miscellaneous	2008				500,000		
Livestock and Livestock Produ	2007 cts *				500,000		
Total	2008				\$12,728,720		
	2007				\$12,000,960		

^{*} Chickens, Ducks, Emus, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep, Turkeys, Milk, Wool, Eggs, Pollen





	Gross Value/	Million Dollars	<u>Ranking</u>		
Category	2008	2007	2008	2007	
Vegetable & Seed Crops	23.2	25.7	1	1	
Fruit & Nut Crops	16.4	13.5	2	3	
Field Crops	15.5	13.2	3	2	
Livestock	12.7	12.0	4	4	
Nursery Products	3.5	11.9	5	5	

	Gros	ss Value	Change
Category	2008	2007	<u>.</u>
Field Crops	15,507,000	13,577,000	1,930,000
Vegetable & Seed Crops	23,153,900	25,706,700	-2,552,800
Fruit & Nut Crops	16,365,000	13,496,000	2,869,000
Nursery Crops	3,479,000	11,860,000	-8,381,000
Livestock	12,728,720	12,000,960	727,760
Total	\$71,233,620	\$76,640,660	-5,407,040
Total Acres in County		482,000	
Population in County January	2008	1,051,677	
Land in Farms - Acres (2007)	,	146,993	
Harvested Cropland - Acres (2	2007 Census)	23,876	

Organic Farming											leafy	root	other	ducts		
	Apricots	Cherries	Nectarines	Peaches	Pears	Pistachios	Plums	Fruit, other	Herbs	Peas/Beans	Sweet Corn	Tomatoes	Vegetables,	Vegetables,	Vegetables,	Nursery pro
No. of Farms Estimated Acres	3 11.3	6 51.0	2 17.0	2 40.0	2 8.0	1 36.8	3 5.3	3 3.0	3 1.2	1 68.0	3 83.5	2 0.3	3 3.5	2 0.5	4 3.5	1 0.5

336.4

Million Dollar Crops



	Gross Value/N	<u> Million Dollars</u>	Ranking			
Category	2008	2007	2008	2007		
Sweet Corn	13.5	13.2	1	1		
Cattle & Calves	12.0	11.2	2	2		
Tomatoes, All	6.4	5.9	3	5		
Grapes	5.8	6.1	4	4		
Field Corn	5.1	4.1	5	7		
Hay - Alfalfa	3.8	3.6	6	8		
Rangeland Pasture	3.3	3.4	7	9		
Apples	2.1	0.9	8			
Cherries	2.0	1.7	9	10		
Apricots, All	1.8	1.3	10	14		
Miscellaneous Vegetables	1.8	5.0	11	6		
Miscellaneous Field Crops	1.5	0.7	12			
Walnuts	1.4	1.4	13	13		
Peaches	1.4	0.9	14			
Beans	1.4	1.5	15	12		
Herbaceous Perennials	1.3	1.2	16	16		
Bedding Plants	1.1	8.1	17	3		

Biological Control

Pest	Agent/Mechanism	Scope of Program
Yellow Starthistle (Centaurea solstitialis)	Hairy Weevil (Eustenopus villosus)	Ongoing
(Centaurea soistitialis)	YST Flower Weevil (<u>Larinus curtus</u>)	Ongoing
	Rust Pathogen (<u>Puccinia jaceae var. solstitialis</u>)	Ongoing
Red Gum Lerp Psyllid (Glycaspis brimblecombei)	Encytrid Parasitoid Wasp (Psyllaephagus bliteus)	Ongoing

Pest Exclusion







Japanese Beetle Glassywinged Sharpshooter

Cedar Apple Rust

Shipments Inspected

Mail/UPS/Fed Ex/Express Carriers	70,767
Truck shipments from within California	4,577
Truck shipments from other states	247
Household Goods	148

Total A & Q Rated Pests Found

72

		Canine
Quarantine Rejections	Total	Program*
Live Pests	21	2
Plum Curculio	9	2
Burrowing Nematode	8	
Cedar-Apple Rust	8	
Citrus Pests	6	1
Japanese Beetle	5	
Glassywinged Sharpshooter	4	1
Red Imported Fire Ant	3	1
Hydrilla	3	
Weed Pests	3	
West Indian Sugarcane Beetle	2	
Gypsy Moth	1	1
Medfly	1	1
Cherry Fruit Fly	1	
Ozonium Root Rot	1	
Walnut and Pecan Pests	1	1
Cereal Leaf Beetle	1	1
Light Brown Apple Moth	1	
Nursery Stock Certificate	23	
Hawaii Certification	4	2
Reasonable Cause	6	
Origin/Markings	247	28
Total	359	41

^{*}Contra Costa County has two canine detection teams that work in the Bay Area. The canine program values represent finds not marked as containing plant material in Contra Costa County only.

"A" and "Q" Rated Pests

Pests vary as to the level of potential harm they can do, so it is necessary to have a rating system to represent the statewide importance of the pest. Of special interest are pests that are rated "A" or "Q". These organisms have the potential to cause serious harm and require enforcement action when they are found. "A" rated pests, such as the Mediterranean Fruit Fly, are known to cause serious harm. "Q" rated pests are those that are suspected to cause serious harm but their status is uncertain because of incomplete information about the species.

A & Q Pest Interceptions in 2008








Little Fire Ant

Magnolia White Scale

Spiraling Whitefly

	Rating	Rejections
ANTS	۸	4
Wasmannia auropuntata / Little Fire Ant	A	1
Technomyrmex albipes / White-footed Ant	Q	13
Monomorium floricola / Trailing Ant	Q Q	1
Pheidole megacephala / Bigheaded Ant Other ant species	Q	9
Other and species	Q	9
SCALES		
Pseudaulacaspis cockerelli / Magnolia White Scale	A	6
Pinnaspis strachani / Lesser Snow Scale	A	1
Pseudaulacaspis pentagona / White Peach Scale	A	1
Pseudaulacaspis brimblecombei / Macadamia White Scal		4
Pseudaonidia trilobitiformis / Trilobe Scale	Q	1
Milviscutulus mangiferae / Mango Shield Scale	Q	1
Vinsonia stellifera / Stellate Scale	Q	1
Other scale species	Q	2
OTHER INSECTS, MITES, & MOLLUSCS		
Darna pallivitta / Stinging Nettle Caterpillar	Α	1
Gyponana sp. / Leafhopper	Q	2
Orchamoplatus mammaeferus / Croton Whitefly	Q	1
Aleurodicus dispersus / Spiraling Whitefly	Q	1
Kallitaxila granulata / Planthopper	Q	1
Nysius sp. / Planthopper	Q	1
Battus philenor / Pipevine Swallowtail	Q	1
Myllocerus sp. / Weevil	Q	1
Phyllophaga sp. / May Beetle	Q	1
Planococcus sp. / Mealybug	Q	1
Thrips sp. / Thrip	Q	1
Dreissena bugensis / Quagga Mussel	Q	1
WEEDS		
Cuscuta japonica / Giant Dodder	Α	10
Bupleurum rotundifolium / Hare's Ear	Q	3
Ceratopteris thalictroides / Watersprite	Q	1
Colocasia esculenta / Wild Taro	Q	1
Other weed species	Q	2



To: A. G. KAWAMURA, SECRETARY CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE and THE HONORABLE BOARD OF SUPERVISORS

I am pleased to submit the 2009 Annual Crop and Livestock Report for Contra Costa County in accordance with the provisions of Section 2279 and 2272 of the California Food and Agricultural Code. This report includes information on Organic Farming and Biological Control activities in our county.

The total gross value of agricultural crops and products in 2009 was \$64,423,280, down \$6,810,340 from 2008. The value of the Vegetable and Seed Crop category increased sharply as the harvested acres and price per ton of sweet corn, processing tomatoes, and crops in the miscellaneous vegetable and seed crop category improved. The continuation of drought conditions in 2009 left rangeland in poor condition, causing cattle producers to keep herd size low. Apple production decreased to low levels and had to be included in the miscellaneous fruit and nut crop category. However, olive production increased to the point that the crop could be removed from the miscellaneous fruit and nut crop category and listed separately.

Hay prices dropped sharply in 2009 as reduced demand due to cuts in dairy production in California led to a glut in supplies of both grain hay and alfalfa. Low wheat prices plus poor grain development due to the lack of winter rain led to growers either harvesting their fields as wheat hay or not harvesting them at all. Low prices for safflower and field crops used for livestock feed reduced both the harvested acreage and value of the miscellaneous field crop category. Walnut acreage decreased due to development. Because of the loss or reduced operations of producers of bedding plants, herbaceous perennials, and miscellaneous nursery crops during 2009, there were decreases in those crop categories.

Several crop categories exceeded \$1 million in value. These categories in decreasing order include sweet corn, tomatoes, grapes, cattle and calves, field corn, rangeland pasture, cherries, alfalfa, apricots, beans, walnuts, herbaceous perennials, and irrigated pasture.

It should be emphasized the values stated in this report are <u>gross</u> receipts and <u>do not</u> include the cost of production, transportation, or marketing of the products. The economic benefit of agricultural production is generally thought to be about three times the gross production value.

I wish to thank the many individuals and organizations who supplied us with the information to complete this report. Their cooperation is truly appreciated. I also would like to thank Nancy Niemeyer and the rest of my staff for their diligent work in obtaining, compiling, and coordinating their efforts to put together our annual report.

Respectfully submitted,

Vincent L. Guise Agricultural Commissioner

Contra Costa County Department of Agriculture/ Weights & Measures

Agricultural Commissioner - Director of Weights & Measures Vince Guise

Chief Deputy Agricultural Commissioner/Sealer

Cathleen M. Fisher

Deputy Agricultural Commissioner

Joe Deviney Gene Mangini Larry Yost

Deputy Sealer of Weights & Measures

Patrick J. Roof

Agricultural Biologist/Weights & Measures Inspector III

Ralph Fonseca Arthur Mangonon Ann McClure
Nancy Niemeyer Steve Reymann Gil Rocha
Cecilie Siegel-Sebolt Beth Slate Matthew Slattengren

Jorge Vargas

Agricultural Biologist II

Chris deNijs Abdoulaye Niang Mariah Slusser

Kathryn White

Weights & Measures Inspector II

Gabriel Adebote Patrick Bowen Ngozi Egbuna

Keely Kirkman

Administrative Support

Executive Secretary
Susan Griggs
Senior Clerk
Roxann Crosby

Information Technology
Susan Wright
Retiree Volunteer
Suzanne Maddux

Pest Detection/GWSS/Pest Management

Dan Angcla
Oscar Dillard
Louellen Kelly
Rick Mata
Richard Padfield
Craig Shoener
Greg Spurlock

K. C. Canario
Paul Greer
Hardy Leopando
Betsy Montgomery
Eldren Prieto
Lindsay Skidmore
Samantha Tomlinson
Oscar Zaldura

Nancy Dennis Michele Jensen Phyllis Lewis Christine O'Boyle William Schaub Susie Somers Zsuzsa Vnagy

Plant Quarantine Detector Canines

Bella (handler: Cecilie Siegel-Sebolt)

Bart (handler: Mariah Slusser)



On the Cover: sweet corn production - (left top to bottom) plowing the field, beds ready for planting, harvest, packing, roasted corn ready to eat; and (right) a field before harvest.

Above: Growing sweet corn requires careful monitoring and pest management in order to control the many insects, weeds, and diseases that attack the crop. Some of these pests are shown above: cutworms, grasshoppers, corn earworm, bindweed, purslane, johnson grass, root rot, and corn smut.

Field Crops



		Production					Value
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	<u>Unit</u>	Unit	<u>Total</u>
Field Corn	2009 2008	4,270 7,700	4.38 4.00	18,700 30,800	Ton Ton	182.00 164.00	3,403,000 5,051,000
Нау		,		,			, ,
Alfalfa	2009 2008	3,400 3,590	5.58 5.71	19,000 20,500	Ton Ton	109.00 184.00	2,071,000 3,772,000
Grain	2009 2008	1,940 1,540	2.01 2.76	3,900 4,250	Ton Ton	69.00 153.00	269,000 650,000
Pasture Irrigated	2009 2008	5,790 5,060			Acre Acre	175.00 180.00	1,013,000 911,000
Rangeland	2009 2008	169,000 169,000			Acre Acre	19.60 19.60	3,312,000 3,312,000
Wheat	2009 2008	85 634	1.29 2.22	110 1,410	Ton Ton	161.00 219.00	17,700 309,000
Miscellaneous Field Crops*	2009 2008	2,490 4,550					560,000 1,502,000
Total	2009 2008	186,975 192,074					\$10,645,700 \$15,507,000

^{*} Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass, Safflower


Vegetable & Seed Crops



		Production					/alue
Crop	Year	Harvested	Per			Per	
		Acreage	Acre	Total	<u>Unit</u>	Unit	Total
Beans	2009	302	4.07	1,230	Ton	1,070.00	1,316,000
	2008	326	3.93	1,280	Ton	1,090.00	1,395,000
Onions	2009	5	7.36	37	Ton	1,810.00	67,000
	2008	5	5.61	28	Ton	1,810.00	50,700
Squash	2009	15	4.81	72	Ton	937.00	67,500
	2008	15	3.73	56	Ton	1,040.00	58,200
Sweet Corn	2009	3,470	10.20	35,400	Ton	434.00	15,364,000
	2008	3,280	10.20	33,500	Ton	403.00	13,500,000
Tomatoes Total	2009 2008	1,746 1,548		94,651 78,769	Ton Ton		8,038,000 6,382,000
Fresh	2009	36	15.30	551	Ton	925.00	510,000
	2008	48	18.10	869	Ton	934.00	812,000
Processing	2009	1,710	55.00	94,100	Ton	80.00	7,528,000
	2008	1,500	51.90	77,900	Ton	71.50	5,570,000
Miscellaneous Vegetable & Seed Crops*	2009 2008	1,010 378					4,382,000 1,768,000
Total	2009 2008	6,548 5,552					\$29,234,500 \$23,153,900

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Peas, Peppers, Potatoes, Pumpkins, Radishes

Fruit & Nut Crops



		Product	tion				Value
Crop	Year	Harvested	Per			Per	
		<u>Acreage</u>	Acre	Total	<u> Unit</u>	Unit	Total
Apricots							
Total	2009	470	4.62	2,170	Ton		1,470,000
	2008	531	7.01	3,720	Ton		1,800,000
Fresh	2009				Ton	2,770.00	
	2008				Ton	2,930.00	
Processing	2009				Ton	325.00	
•	2008				Ton	300.00	
Cherries	2009	369	2.46	908	Ton	2,940.00	2,670,000
	2008	344	1.85	636	Ton	3,150.00	2,003,000
Grapes	2009	1,930	4.61	8,900	Ton	748.00	6,657,000
Orapes	2008	1,980	3.97	7,860	Ton	732.00	5,754,000
		•		·			, ,
Nectarines	2009	36	2.17	78	Ton	3,260.00	254,000
	2008	38	3.90	148	Ton	3,770.00	558,000
Olives***	2009	86	0.89	77	Ton	1,550.00	119,000
Peaches	2009	134	2.75	369	Ton	1,770.00	653,000
reacties	2009	13 4 144	5.24	755	Ton	1,770.00	1,419,000
	2000	144	J.2 4	755	1011	1,000.00	1,419,000
Plums and Pluots	2009	34	3.56	121	Ton	2,760.00	334,000
	2008	35	3.58	125	Ton	2,760.00	345,000
Walnuts	2009	390	2.14	835	Ton	1,460.00	1,219,000
	2008	466	2.22	1,030	Ton	1,400.00	1,442,000
Miscellaneous	2009	282					1,948,000
Fruit & Nut Crops*		419					3,044,000
•							
Total	2009	3,731					\$15,324,000
	2008	3,957					\$16,365,000

^{*} Almonds, Apples, Apriums, Asian Pears, Berries, Citrus, Figs, Melons, Olives, Pears, Pecans, Persimmons, Pistachios, Prunes, Pomegranates, Quinces, Strawberries

^{** 2008} values revised

^{***} New Category for 2009

Livestock



		Proc	Production		Value	
Item	Year	No. of Head	Total <u>Liveweight</u>	Unit	Per Unit	<u>Total</u>
Cattle & Calves	2009 2008	10,100 20,100	74,200 141,000	Cwt Cwt	81.20 85.10	6,025,000 12,000,000

					/alue
Item	Year	Production		Per	
			Unit	Unit	<u>Total</u>
Honey	2009	24,000	Lbs.	7.00	168,000
-	2008	24,000	Lbs.	7.00	168,000
Beeswax	2009	180	Lbs.	6.00	1,080
Dooomax	2008	180	Lbs.	4.00	720
	2000	.00			0
Pollination	2009	400	Colonies	160.00	64,000
	2008	400	Colonies	150.00	60,000
					,
Miscellaneous	2009				500,000
Livestock and	2008				500,000
Livestock Produ	cts*				,
Total	2009				\$6,758,080
	2008				\$12,728,720
					, =, ==, ==

^{*} Chickens, Ducks, Emus, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep, Turkeys, Milk, Wool, Eggs, Pollen

Nursery Products



		Production	n Area	 Value
Сгор	Year	House Sg. Ft.	Field Acres	Total
		•		
Bedding Plants	2009	34,900	1.10	368,000
	2008	151,000	3.10	1,051,000
Herbaceous	2009	53,400	0.50	1,092,000
Perennials	2008	78,400	4.05	1,321,000
Indoor	2009	120,000	0.10	139,000
Decoratives	2008	120,000	0.10	159,000
Vegetable Plants	2009	25,500	0.80	382,000
_	2008	0	0.91	128,000
Miscellaneous	2009	0	28.80	480,000
Nursery Crops *	2008	0	44.90	820,000
Total	2009	233,800	31.30	\$2,461,000
	2009	349,400	53.06	\$3,479,000

^{*} Christmas Trees, Cactus, Ground Covers, Propagative Materials, Ornamental Trees & Shrubs, Fruit Trees, Cut Flowers.

Organic Farming Nursery products Vegetables, leafy Vegetables, root **Sweet Corn** Fruit, other Pistachios Peaches Cherries 2 3 No. of Farms 11.0 15.0 17.0 40.0 8.0 36.8 5.0 4.9 1.2 175.0 38.0 0.5 0.5 **Estimated Acres**

Recapitulation



	Gross Value/I	<u> Million Dollars</u>	Ranking	
Category	2009	2008	2009	2008
Vegetable & Seed Crops	29.2	23.2		1
Fruit & Nut Crops	15.3	16.4		2
Field Crops	10.6	15.5		3
Livestock	6.8	12.7		4
Nursery Products	2.5	3.5		5
	Gross Value			Change
Category	2009	2008		-
Field Crops	10,645,700	15,507,000	_	4,861,300
Vegetable & Seed Crops	29,234,500	23,153,900		6,080,600
Fruit & Nut Crops	15,324,000	16,365,000	_	1,041,000
Livestock	6,758,080	12,728,720	_	5,970,640
Nursery Crops	2,461,000	3,479,000	_	-1,180,000
Total	\$64,423,280	\$71,233,620	_	6,810,340
Total Acres in County		482,000		
Population in County January	2009	1,060,435		
Land in Farms - Acres (2007		146,993		
_	_ ′	•		

Biological Control

Harvested Cropland - Acres (2007 Census)

Pest	Agent/Mechanism	Scope of Program
Yellow Starthistle (Centaurea solstitialis)	Hairy Weevil (Eustenopus villosus)	Ongoing
(Centaurea soistitians)	YST Flower Weevil (<u>Larinus curtus</u>)	Ongoing
	Rust Pathogen (<u>Puccinia jaceae var. solstitialis</u>)	Ongoing
Red Gum Lerp Psyllid (<u>Glycaspis brimblecombei</u>)	Encytrid Parasitoid Wasp (Psyllaephagus bliteus)	Ongoing

23,876

Million Dollar Crops



	Gross Value/N	<u> Million Dollars</u>	Ranking		
Category	2009	2008	2009	2008*	
Sweet Corn	15.4	13.5	1	1	
Tomatoes, All	8.0	6.4	2	3	
Grapes	6.7	5.8	3	4	
Cattle & Calves	6.0	12.0	4	2	
Field Corn	3.4	5.1	5	5	
Rangeland Pasture	3.3	3.3	6	7	
Cherries	2.7	2.0	7	9	
Hay - Alfalfa	2.1	3.8	8	6	
Apricots, All	1.5	1.8	9	10	
Beans	1.3	1.4	10	13	
Walnuts	1.2	1.4	11	11	
Herbaceous Perennials	1.1	1.3	12	14	
Irrigated Pasture	1.0		13		

^{*2008} rankings revised

Contra Costa County Certified Farmers' Markets

Tuesday	Saturday	Sunday
Concord	Brentwood	Crockett
El Cerrito	Clayton	Kensington
Walnut Creek Kaiser	Danville	Martinez
Wednesday	Diablo Valley	Moraga
Point Richmond	El Cerrito	Walnut Creek
Thursday	Hercules	
Antioch Kaiser	Orinda	
Concord	Pinole	
Danville	Pittsburg	
Martinez	Pleasant Hill	For more information about the
Martinez Kaiser	San Ramon	Certified Farmers' Markets in Contra
Friday		Costa County, visit our website at www.co.contra-costa.ca.us and click
Richmond		on Departments, then Agriculture/
Walnut Creek Rossmoor		Weights & Measures.

Pest Exclusion







Japanese Beetle Glassywinged Sharpshooter

Cedar Apple Rust Shipments Inspected

Mail/UPS/Fed Ex/Express Carriers	60,126
Truck shipments from within California	4,469
Truck shipments from other states	135
Household Goods	105

Total A & Q Rated Pests Found 57

Quarantine Rejections	Total	Canine Program*
Cedar-Apple Rust	16	Program* 2
Live Pests	13	3
		S
Japanese Beetle	10	0
Citrus Pests	9	2
Plum Curculio	8	
Burrowing Nematode	4	2
Colorado Potato Beetle	4	
Caribbean Fruit Fly	2	
Gypsy Moth	2	
Medfly	2	
Nursery Stock Certificate	2	
Red Imported Fire Ant	1	
Hydrilla	1	
Peach Rosette	1	
Hawaii Certification	1	
European Corn Borer		1
Golden Nematode		1
Glassywinged Sharpshooter		1
Chestnut Bark/Oak Wilt		1
Reasonable Cause	1	
Origin/Markings	197	15
Total	273	29

^{*}Contra Costa County has two canine detection teams that work in the Bay Area. The canine program values represent finds not marked as containing plant material in Contra Costa County only.

"A" and "Q" Rated Pests

Pests vary as to the level of potential harm they can do, so it is necessary to have a rating system to represent the statewide importance of the pest. Of special interest are pests that are rated "A" or "Q". These organisms have the potential to cause serious harm and require enforcement action when they are found. "A" rated pests, such as the Mediterranean Fruit Fly, are known to cause serious harm. "Q" rated pests are those that are suspected to cause serious harm but their status is uncertain because of incomplete information about the species.

A & Q Pest Interceptions in 2009











Spiraling Whitefly

4.470	Rating	Rejections
ANTS Technomyrmex albipes / White-footed Ant	Q	10
Ochetellus glaber / Black House Ant	Q	1
Pheidole megacephala / Bigheaded Ant	Q	4
SCALES		
Pseudaulacaspis cockerelli / Magnolia White Scale	Α	4
Pseudaulacaspis pentagona / White Peach Scale	Α	1
Ceroplastes rubens / Red Wax Scale	Α	1
OTHER INSECTS, MITES, & MOLLUSCS		
Lymantria dispar / Gypsy Moth	Α	1
Empoasca sp. / Leafhopper	Q	1
Cerataphis sp. / Aphid	Q	2
Dreissena bugensis / Quagga Mussel	Q	1
PLANT DISEASES		
Uromyces transversalis / Gladiolus Rust	Q	27
Mycosphaerella buckinghamiae / Leaf Spot	Q	1
Phytophthora ramorum / Sudden Oak Death	Q	1
Phytophthora hibernalis / Disease	Q	1
WEEDS		
Cuscuta japonica / Giant Dodder	Α	1