



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*



THE UNIVERSITY of TENNESSEE
Department of Agricultural and Resource Economics

May 2010

Precision Farming by Cotton Producers in Twelve Southern States: Results from the 2009 Southern Cotton Precision Farming Survey

**Daniel F. Mooney, Roland K. Roberts, Burton C. English,
Dayton M. Lambert, James A. Larson, Margarita Velandia, Sherry L.
Larkin, Michele C. Marra, Steven W. Martin, Ashok Mishra, Kenneth W.
Paxton, Roderick Rejesus, Eduardo Segarra, Chenggang Wang, and
Jeanne M. Reeves**



Research Series 10-02

Department of Agricultural
and Resource Economics
The University of Tennessee
Knoxville, Tennessee

Acknowledgements

Support for this research was provided by Cotton Incorporated Grant #07-131 and the Land Grant Universities of Florida, Louisiana, Mississippi, North Carolina, Tennessee, and Texas.

**Precision Farming by Cotton Producers in
Twelve Southern States:
Results from the 2009 Southern Cotton
Precision Farming Survey**

Daniel F. Mooney, Roland K. Roberts, Burton C. English,
Dayton M. Lambert, James A. Larson, Margarita Velandia, Sherry L. Larkin,
Michele C. Marra, Steven W. Martin, Ashok Mishra, Kenneth W. Paxton, Roderick Rejesus,
Eduardo Segarra, Chenggang Wang, and Jeanne M. Reeves

Research Series 10–02

Department of Agricultural and Resource Economics
The University of Tennessee
Knoxville, Tennessee

Daniel F. Mooney is Research Associate, Roland K. Roberts and Burton C. English are Professors, James A. Larson is Associate Professor, and Dayton M. Lambert and Margarita Velandia are Assistant Professors at the University of Tennessee; Sherry L. Larkin is Associate Professor at the University of Florida; Michele C. Marra is Professor and Roderick Rejesus is Assistant Professor at North Carolina State University; Steven W. Martin is Associate Extension Professor and Director of the Delta Research and Extension Center at Mississippi State University; Kenneth W. Paxton is Professor and Ashok Mishra is Associate Professor at Louisiana State University; Eduardo Segarra is Professor and Chenggang Wang is Assistant Professor at Texas Tech University; and Jeanne M. Reeves is Director of Production Economics Research at Cotton Incorporated.

Please visit the department's web site at <http://economics.ag.utk.edu>.

Additional copies of this report may be obtained from:

Department of Agricultural and Resource Economics
The University of Tennessee
2621 Morgan Circle
Knoxville, TN 37796-4518
(865) 974-7231

Acknowledgements

Support for this research was provided by Cotton Incorporated Grant #07-131 and the Land Grant Universities of Florida, Louisiana, Mississippi, North Carolina, Tennessee, and Texas.

Disclaimer

Mention of trade names or other proprietary marks does not imply approval of products to the exclusion of similar products nor does it constitute endorsement by the authors, Cotton Incorporated, or the Tennessee Agricultural Experiment Station.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
INTRODUCTION	3
METHODS.....	5
MAIL SURVEY.....	5
DEFINITION OF PRECISION FARMING.....	6
QUESTIONS FOR ALL RESPONDENTS	6
QUESTIONS FOR ADOPTERS	7
QUESTIONS FOR NON-ADOPTERS.....	8
RESULTS	8
COMPARISON OF SURVEY DATA WITH CENSUS DATA	8
ADOPTION OF PRECISION FARMING TECHNOLOGIES.....	10
<i>Overall Precision Farming Technology Use</i>	<i>10</i>
<i>Use of Information Gathering Technologies.....</i>	<i>11</i>
<i>Use of Variable Rate Management</i>	<i>12</i>
<i>Use of GPS Guidance Systems</i>	<i>13</i>
ADOPTER RESPONSES REGARDING PRECISION FARMING TECHNOLOGIES	13
<i>Cotton Yield Monitoring Systems.....</i>	<i>13</i>
<i>GPS Guidance.....</i>	<i>14</i>
<i>GPS Referenced Soil Sampling.....</i>	<i>15</i>
<i>Variable Rate Management.....</i>	<i>16</i>
<i>Precision Farming Services.....</i>	<i>17</i>
<i>Factors Influencing Use of Precision Farming Technologies</i>	<i>17</i>
<i>Fiber and Environmental Quality.....</i>	<i>18</i>
ADOPTER AND NON-ADOPTER PERCEPTIONS ABOUT PRECISION FARMING	18
<i>Yield Variability Assessment</i>	<i>18</i>
<i>Information Sources</i>	<i>18</i>
<i>Price and Value of a Cotton Yield Monitoring System</i>	<i>19</i>
<i>Intent to Purchase a GPS Guidance System.....</i>	<i>20</i>
<i>Use of University Extension Services.....</i>	<i>20</i>
<i>Reasoning for Not Adopting Precision Farming.....</i>	<i>20</i>
<i>Future of Precision Farming</i>	<i>21</i>
DEMOGRAPHIC AND FARM CHARACTERISTICS OF RESPONDENTS	21
<i>Farm Characteristics</i>	<i>21</i>
<i>Demographic Characteristics</i>	<i>23</i>
COTTON PRECISION FARMING: 2000-2008.....	24
CLOSING REMARKS	26
REFERENCES	28
APPENDIX I: THE QUESTIONNAIRE	31
APPENDIX II: TABLES	39
APPENDIX III: FIGURES.....	59

EXECUTIVE SUMMARY

As the use of precision farming technologies among U.S. cotton producers spreads, an understanding of their current experiences with these technologies becomes increasingly important. This report summarizes initial findings from the 2009 Southern Cotton Precision Farming Survey. A mail survey of cotton producers located in Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee, Texas and Virginia was conducted in 2009 to establish the use of precision farming technologies during 2007 and 2008. A total of 1,692 surveys were returned for a response rate of 12.5%.

Sixty-three percent of respondents were defined as precision farming adopters, indicating they had used information gathering technology, variable rate management, or GPS guidance. Grid and zone soil sampling were the two most widely used information gathering technologies. The yield monitor with GPS, soil survey maps, and aerial photography were also frequently reported. Least used by adopters were satellite imagery, handheld PDA, COTMAN, digitized mapping, and electrical conductivity. The yield monitor with GPS was the technology most used to make variable rate decisions. Greenseeker units were the least-used for this purpose, yet were used to make more decisions, on average, than the other technologies considered. Yield monitors, handheld GPS units, and electrical conductivity were frequently used to make variable rate fertility or lime decisions. By contrast, the Greenseeker and aerial/satellite imagery were used most commonly for growth regulator, harvest aid, and fertility variable rate decisions. Among GPS guidance adopters, one-third reported having used autosteer and one-quarter reported lightbar navigation. Adopters used GPS guidance most frequently for spraying, planting, and tillage field operations. Guidance was also used for cultivating and harvesting operations but by fewer producers. On average, each GPS guidance adopter used their system for 2.5 different field operations.

The survey also included questions about the use of yield monitors, GPS guidance, and precision soil sampling. One-quarter of yield monitor adopters reported having made a yield map, while over half perceived an increase in within-field yield variability. Guidance adopters were overwhelmingly satisfied with their systems, listing the elimination of row markers and improved field efficiency as the most common reasons for adoption. Three-quarters of grid and zone soil sample adopters made a variable rate management plan. Lime was the input most frequently applied using such a plan, followed by phosphorous and potassium. Cost and satisfaction with current practices were the two most cited reasons by those not making a plan.

Respondents also indicated their information sources, shared perceptions about profitability, and described farm and farm operator characteristics. Other farmers and farm dealers were the most widely used and highly ranked information sources among adopters and non-adopters. Nine of ten adopters believed precision farming would be profitable in the future, whereas six of ten non-adopters felt the same. The average adopter farmed 1,390 total acres in 2008, of which 70% was cotton. By comparison, the average non-adopter farmed 665 acres, with 80% being cotton. Adopters owned a smaller share of their cotton area than non-adopters but had a larger proportion under irrigation. On average, yields for adopters were 65 and 100 lbs/acre higher than for non-adopters for dryland and irrigated cotton, respectively.

Findings from this study will be useful to cotton producers in making the precision farming adoption decision and university extension and industry personnel in developing outreach efforts. On-going research by the Cotton Incorporated Economics of Precision Farming Working Group will continue analyzing these survey results to further appraise the present status and future prospects of cotton precision farming by southern U.S. cotton farmers.

Precision Farming by Cotton Producers in Twelve Southern States: Results from the 2009 Southern Cotton Precision Farming Survey

INTRODUCTION

Precision farming technologies are used to identify and measure within-field variability and its causes, prescribe site-specific input applications that match varying crop and soil needs, and apply the inputs as prescribed (Cochran et al., 2006). When used together, these technologies may increase production efficiency, reduce input use, and increase yields and profits. Despite recent market volatility, cotton remains an important high-value crop for southern U.S. producers, grown on over 7 million acres and representing 92% of total U.S. cotton acres harvested in 2009 (USDA, 2010). Therefore, an assessment of cotton producers' current experiences with precision farming technologies, the factors influencing their adoption, and the likelihood that producers will continue to adopt such technologies in the near future would provide useful information to producers, industry, and university personnel.

The *2009 Southern Cotton Precision Farming Survey*, for which initial results are summarized in this report, is the third in a series of cotton precision farming surveys. The objective of each of these surveys has been to identify the current status and future prospects of precision farming among southern U.S. cotton producers. In each year the survey has been conducted, the geographical region considered has expanded. Originally, in 2001, six states were surveyed – Alabama, Florida, Georgia, Mississippi, North Carolina, and Tennessee. In 2005, the area increased to eleven states by adding Arkansas, Louisiana, Missouri, South Carolina, and Virginia. The 2009 survey described in this report includes these same eleven states plus Texas.

In the 2001 Southern Cotton Precision Farming Survey, Roberts et al. (2002) found that 23% of cotton producers were precision farming adopters. Precision farming technology adopters were defined as any respondent who had used an information gathering technology or made a

variable rate management decision. The most widely used precision farming technologies were grid and zone soil sampling, variable rate lime, phosphorous, and potassium application, and soil survey maps. Only 2% of responding producers (28 of 1,373) practiced yield monitoring with GPS.

In the 2005 survey, Cochran et al. (2006) reported that 48% of cotton producers used one or more precision farming technologies. An identical definition to that of the 2001 survey was used. Grid and zone soil sampling and variable rate application of lime, phosphorous, and potassium remained the most common precision farming technologies used. In addition, the use of a cotton yield monitoring system equipped with GPS grew considerably with 6% (73 of 1,215) of respondents having reported using this technology.

As the future of precision farming depends on how profitable producers view this set of technologies (Griffin et al, 2004), a need exists to reevaluate producers' experiences from 2000 and 2004 with a variety of precision farming technologies and determine what benefits they have received or expect to receive from their adoption. The 2009 Southern Cotton Precision Farming Survey was designed to meet this purpose. The information contained in this report summarizes responses to individual survey questions and provides descriptive statistics of key adoption figures and respondent characteristics for 2007 and 2008 for the twelve state survey region—Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee, Texas and Virginia.

While this report describes findings for the 2009 survey, similar summaries from the 2001 and 2005 surveys exist (Roberts et al., 2001; Cochran et al., 2006). In addition, future research by the Economics of Cotton Precision Farming Working Group will continue utilizing these survey results to further appraise the present status and future prospects of precision

farming by southern U.S. cotton farmers. As the use of precision farming spreads and technologies improve, cotton producers will face an expanded set of opportunity for adoption. Findings from this report and the additional forthcoming studies are important in that they will provide information useful for making the precision farming adoption decision. In addition, University extension and industry personnel may benefit by using these findings to develop effective outreach materials.

METHODS

Mail Survey

A mail survey of cotton producers in Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee, Texas and Virginia was conducted in February and March of 2009 to establish the use of precision farming technologies in 2007 and 2008 in these states. A questionnaire was developed to query cotton producers about their attitudes toward and use of precision farming technologies. A copy of the questionnaire is attached to this report as Appendix I. Following Dillman's (1978) mail survey procedures, the questionnaire, a postage-paid return envelope, and a cover letter explaining the purpose of the survey were sent to each producer.

Figure 1 illustrates the mail survey procedures and response rate. The initial mailing of the questionnaire was on February 20, 2009, and a reminder post card was sent two weeks later on March 5, 2009. A follow-up mailing to producers not responding to previous inquiries was conducted three weeks later on March 27, 2009. The second mailing included a letter restating the importance of the survey, the questionnaire, and a postage-paid return envelope. Recipients were instructed to circle 'none' in question 2 and return the questionnaire if they did not grow cotton during the period 2005 to 2008.

The population of interest was the set of active cotton producers residing within the twelve-state survey region. A mailing list of 14,089 potential cotton producers for the 2007-2008 marketing year was furnished by the Cotton Board in Memphis, Tennessee (personal communication, November, 2009). Survey questionnaires were mailed to all addresses, of which 306 were returned undeliverable and subsequently dropped from the list. Among responses received, 1,692 were counted as valid, 85 declined participation, and 204 had either retired or did not farm cotton. Assuming those who declined participation and all remaining non-respondents are active cotton producers, the total number of cotton farmers surveyed was 13,579. The survey response rate of 12.5% for the twelve-state region was calculated as the number of valid responses divided by the number of cotton farmers surveyed.

Definition of Precision Farming

The following statement was provided at the top of the questionnaire: “Precision farming involves collecting site-specific information about within-field variability in yields and crop needs, linking that information to specific locations within a field, and acting on that information to determine and apply appropriate input levels. This may result in varying input levels within each field.” This broad definition of precision farming encompasses technologies that may or may not use Global Positioning Systems (GPS) and Geographical Information Systems (GIS).

Questions for All Respondents

The questionnaire asked all survey respondents to indicate their farm location, years in which they grew cotton, type of harvesting equipment, and primary information sources (Questions 1-5, 10, 12). All respondents were also requested to provide information on acres planted and harvested, and on the type and extent of irrigation used for cotton production (Questions 10, 13-14). In addition, all respondents were queried about their perceptions

regarding the future of precision farming and were asked to provide their best estimates of the typical purchase price of a cotton yield monitoring system with GPS (Questions 7-9, 11). Finally, they were asked to give details about their farm and household demographic characteristics and their use of university-related services (Questions 52-63).

Questions for Adopters

All precision farming adopters responded to an additional set of questions. First, they indicated the information gathering technologies used and variable rate decisions made (Questions 17, 19, 26-28). Second, they related the direction and magnitude of input use change following the adoption of variable rate management (Question 18) and if they later abandoned any of the technologies used (Question 20). Next, adopters listed the off-farm precision farming services hired and their cost (Question 19). Finally, they provided reasons for practicing precision farming, and whether they experienced any improvement in cotton or environmental quality (Questions 48-51).

Where appropriate, adopters were asked about their use of yield monitoring, GPS guidance, and grid/zone soil sampling. Yield monitor adopters were queried about their perception of within-field yield variability and what value they placed on that information (Questions 21-24). GPS guidance adopters indicated their reasons for adoption, what field operations they performed, and what value they placed on their guidance system (Questions 29-38). They were also asked whether GPS guidance met their expectations and what benefits they realized. Grid/zone soil sample adopters identified when samples were first collected, time between samples, and whether they made a variable rate management plan (Questions 39-46). Those that discontinued grid/zone sampling provided reasons for abandonment (Question 47).

Questions for Non-adopters

Non-adopters provided their most important reason for not practicing precision farming (Question 6). They also indicated their perceptions about the value of cotton yield monitor information (Question 25), and if they intended to purchase a GPS guidance system within the next three years (Question 38).

RESULTS

Results are presented in six sections. The first compares age and farm size characteristics of survey respondents with the 2007 Census of Agriculture (US Department of Agriculture, 2007). Section two presents precision farming adoption rates for selected information gathering, variable rate management, and GPS guidance technologies. Next, adopter responses are profiled for questions about cotton yield monitors, GPS guidance systems, GPS referenced soil samples, variable rate management, precision farming services, factors influencing adoption, and fiber and environmental quality changes following precision farming adoption. Section four discusses adopter and non-adopter perceptions regarding yield variability, precision farming information sources, the value of yield monitoring and guidance systems, university extension, and the future of precision farming. The fifth section compares demographic and farm characteristics of precision farming adopters with non-adopters. Finally, the sixth section includes a brief comparison of results from the 2009, 2005, and 2001 surveys.

Comparison of Survey Data with Census Data

Table 1 indicates the number of cotton farms surveyed in each state and compares these figures with the 2007 Census of Agriculture (US Department of Agriculture, 2007). While slightly fewer cotton farmers were surveyed than are listed in the Census, their distribution

across states corresponds closely. Over 40% of the 13,579 cotton producers surveyed were located in Texas. Georgia had the second largest number of cotton farmers surveyed, representing slightly more than 15% of those surveyed. Alabama, Arkansas, Mississippi, and North Carolina each represented 5 to 10% of total cotton farmers surveyed, whereas Florida, Louisiana, Missouri, South Carolina, Tennessee, and Virginia each represented less than 5% of total cotton farmers surveyed.

Figure 2 shows the geographical distribution of survey responses by county, and compares this distribution to the number of cotton producers as reported in the 2007 Census of Agriculture. Three distinct regions of cotton production are apparent, both among respondents and the Census figures. The first region follows the coastal plains from Virginia to Georgia, and then extends into parts of Florida and southern Alabama. The second region is centered along the Mississippi river from central Louisiana to southeastern Missouri and then spreads east into western Tennessee and northern reaches of Mississippi and Alabama. The third region is concentrated around the Texas high plains. The similar patterns observed in the two maps suggest that survey respondents well reflect the geographical cross-section of producers.

Figure 3 shows the age distribution of survey respondents as compared with the 2007 Census of Agriculture (US Department of Agriculture, 2007). Cotton farmers aged 45 to 64 represented the majority of respondents in both the survey (59%) and Census (55%). The proportion of respondents aged 65 or above (24%) was identical in both the survey and Census (24%). By contrast, those 44 years of age or younger represented a smaller share of producers in the survey (17%) than in the Census (22%). These findings suggest that survey respondents were concentrated more in the middle to upper age groups than was found in the 2007 Census.

However, the overall mean age of 55.8 years for cotton farmers responding to the survey was comparable to the mean age of 55.2 years reported in the 2007 Census.

Figure 4 compares the distribution of cotton acres planted in 2007 and 2008 by survey respondents with the distribution of cotton acres harvested from the 2007 Census (US Department of Agriculture, 2007). Producers with 500 or more cotton acres represented a larger proportion of respondents in 2007 and 2008 (58% and 53%, respectively) than in the Census (38%). Conversely, farmers with cotton acreage of 249 or below were a smaller share in 2007 and 2008 (24% and 27%, respectively) as compared with Census figures (42%). Those with cotton areas between 250 and 499 acres were approximately identical in terms of representation between the Census and survey (18%). These results indicate that respondents are likely more concentrated more among larger cotton farms (>500 acres) and less concentrated among smaller farms (<249 acres).

Adoption of Precision Farming Technologies

Overall Precision Farming Technology Use

Respondents were defined as precision farming adopters if they reported using information gathering technology (Questions 16¹, 19, 21, 39), variable rate management (Questions 17, 26, 28), or GPS guidance (Question 29). Table 2 reports precision farming adoption rates for individual states and for the combined 12-state region. Many farmers adopted more than one category of precision farming technology (i.e., some combination of information gathering, variable rate management, and GPS guidance technologies). Adoption rates are therefore reported by individual technology category and by overall adoption status. Nearly two-thirds of respondents (63%) were classified as precision farming adopters. Virginia and Missouri

¹ Respondents were counted as adopters if they reported having used a yield monitor, soil maps, aerial photography, grid sampling, COTMAN, or satellite imagery.

had the highest rates of adoption (82% and 83%, respectively), whereas Texas had the lowest (56%).

Figure 5 illustrates how adopters combined the use of precision farming technologies. One in four precision farming adopters (26%) reported using information gathering, variable rate management, and GPS guidance technologies in combination with one another. Approximately equal shares used information gathering technologies in combination with GPS guidance and with variable rate management (15% and 16%, respectively). An additional one-third (33%) reported using GPS guidance only, while the remainder used information gathering technologies only (16%).

Table 3 presents overall adoption rates for selected precision farming technologies. Rates are reported with respect to the number of surveys returned. Grid and zone soil sampling were among the most widely adopted (16% and 13%, respectively). When evaluated together, slightly less than one-third of respondents reported having used at least one of these two precision soil sampling techniques. Yield monitors and aerial/satellite imagery were each adopted by approximately the same number of producers (10%). Handheld GPS units, COTMAN plant mapping, digitized mapping, electrical conductivity and Greenseeker units were also adopted but by fewer respondents (<5%). Soil survey maps were also among the most widely adopted precision farming technologies, though all but seven map adopters reported having used them in combination with other technologies.

Use of Information Gathering Technologies

Table 4 reports the information gathering technologies used, the average number of years used, and the average number of acres employed in 2007 (Question 19). Grid and zone soil sampling were the two most widely-used technologies (46% of respondents). Respondents

indicated having used zone soil sampling for an average of 13 years, but grid sampling for less than half that time. On average, zone and grid sampling were each used on approximately 1,100 acres in 2007. The cotton yield monitor with GPS, soil survey maps, and aerial photography were the next most commonly used information gathering technologies among respondents (15% to 20%). Least used by adopters were yield monitoring without a GPS, satellite imagery, handheld GPS/PDA, COTMAN plant mapping, digitized mapping, and electrical conductivity (less than 10%). On average, each information gathering adopter used 1.8 different information gathering technologies.

Table 4 also summarizes which information gathering technologies respondents had adopted and subsequently abandoned (Question 20). Adopters were more likely to abandon digitized mapping and COTMAN than any other previously-adopted technology, however this observation was drawn using a relatively small sample (N = 40).

Use of Variable Rate Management

Variable rate management adopters were queried on the decisions undertaken and on the type of technology used to base these decision (Questions 17, 26-28, 44). The management decisions considered included fertility or lime application, seeding, growth regulators, harvest aids, fungicides, herbicides, insecticides, and irrigation. The information gathering technologies included handheld GPS units, Greenseeker units, yield monitoring with GPS, aerial or satellite infrared imagery and electrical conductivity.

As reported in Table 5, the yield monitor with GPS was the most frequently used information gathering technology among variable rate adopters. Greenseeker units were the least used information gathering technology, yet were used to make more variable rate decisions, on average, than any other technology considered. Yield monitors with GPS, handheld GPS units,

and electrical conductivity units were most commonly used to make variable rate fertility or lime management decisions. By contrast, both Greenseeker and aerial/satellite infrared imagery were used most commonly for the growth regulator, harvest aid, and fertility or lime variable rate management decisions.

Use of GPS Guidance Systems

GPS guidance adopters listed the type of system used and specific field operations for which the systems were employed. Table 6 presents adoption rates for GPS guidance systems (Question 29). Overall, nearly half of respondents (47%) reported having adopted GPS guidance. Divided into guidance categories, one-third of adopters used GPS autosteer technology while one-quarter used GPS lightbar technology. Table 7 shows the use of GPS guidance systems by field operation (Question 36). On average, adopters used guidance for an average of 2.5 different field operations. Over half of adopters used their guidance systems with spraying (79%), planting (63%), and tillage (59%) operations.

Adopter Responses Regarding Precision Farming Technologies

Cotton Yield Monitoring Systems

Yield monitor adopters responded to an additional set of questions. Three in ten adopters (29%) reported either they or a consultant had generated a yield map (Question 21). Changes in yield monitor adopters' perceptions about yield variability are reported in Table 8 (Questions 22 and 23). Over half of adopters (56%) indicated the use of a yield monitor increased their perceived yield variability. By contrast, few adopters (4%) reported any decrease in their perceived yield variability. The remaining respondents to this question (42%) reported no change in their perception of yield variability following yield monitor adoption. Table 9 summarizes the

value placed on cotton yield monitor information by adopters (Question 24). Approximately one-third of respondents (34%) reported a value less than \$5/acre, whereas the remaining respondents (66%) reported a value of \$5/acre or more.

GPS Guidance

Respondents adopting GPS Guidance provided additional details about their systems. An overwhelming majority of adopters (88%) indicated that guidance had met their expectations (Question 30). By contrast, less than half (44%) reported an increase in ground speed (Question 33). Two in ten adopters (22%) reported having an on-farm GPS base station (Question 34). Table 10 identifies respondents' reasons for having adopted GPS guidance systems (Question 31). The elimination of row markers and improvement in overall efficiency were the two most widely reported reasons. A desire to improve spray capacity and planting were also indicated, but by fewer respondents.

Table 11 ranks the perceived benefits of GPS guidance systems (Question 35). On average, reduced fatigue/longer operating hours and input cost savings were the most highly ranked benefits. The next most highly ranked benefits included fuel and labor cost savings. Increased time for other activities was the GPS guidance benefit with the lowest average rank.

Table 12 reports on the level of per-acre cost savings for seed, fertilizer, and chemical inputs as given by GPS guidance/auto-steer system adopters (Question 37). For seed and fertilizer inputs, 60% or more of respondents reported having realized zero benefits in terms of cost savings from the use of a GPS guidance system. Of those respondents who did report input cost savings, the majority reported savings of \$10/acre or less. By contrast, for chemical inputs, more than half reported having realized some level of cost savings, with the majority indicating savings of \$5/acre or less.

Table 13 reports on adopter opinions regarding the value of their GPS guidance systems on a per-acre basis (Question 32). For the purposes of this report, values exceeding \$100/acre were considered outliers and are not included in the reported results². The majority of respondents (60%) placed a value of \$10/acre or below on their GPS guidance system. A smaller number of respondents reported larger values, from \$10 to \$50/acre. Less than 5% of those responding reported that their GPS guidance systems had zero value. On average, respondents placed a value of \$14.56/ac on their guidance systems with a standard deviation of \$14.50/ac.

GPS Referenced Soil Sampling

GPS referenced soil sample adopters further reported on their soil sampling practices. On average, grid and zone soil sample adopters began collecting GPS referenced samples in 2003 with samples most recently collected in 2007 (Questions 40 and 41). These respondents also reported that information obtained from the GPS referenced soil samples is useful for an average of 2.6 years (Question 45). Approximately three-quarters of grid and zone soil sample adopters (72%) indicated they made a variable rate management plan (Question 42). Table 14 correlates the type of input applied with use of a variable rate plan (Question 44). Lime was the most frequently reported input applied using the variable rate management plan, followed by potassium and phosphorous. Nitrogen fertilizers were also applied at variable rates but by fewer adopters. Table 15 highlights reasons why some grid and zone soil sample adopters did not make variable rate input plans (Questions 43), the most common being cost and satisfaction with current practices. Table 16 cites reasons for having abandoned GPS-referenced soil sampling

² Of the 661 total respondents to this question, 95 indicated values of \$100/acre or more. In the questionnaire, the correct units for this question (\$/acre) did not appear next to the answer space provided. Many respondents likely reported values for the entire GPS guidance system rather than values on a per acre basis.

(Questions 46 and 47). Here, cost and lack of within-field variability were the two most commonly cited reasons.

Variable Rate Management

Survey questions 18 and 48 asked variable rate management adopters to provide details about the impacts of the variable rate technologies used on overall input use and yields. Table 17 summarizes the changes in input use following the use of variable rate technology in cotton production (Question 18). First, respondents were asked to indicate whether variable rate management decreased or increased overall input use, or whether no change in overall input use occurred. Among those who implemented variable rate management for fertilizer, lime, and seed inputs, a greater number reported a decrease in inputs applied as opposed to an increase. By contrast, among those who implemented variable rate management with irrigation and sprayer-applied inputs—such as growth regulators, harvest aids, fungicide, herbicide, and insecticides—a greater number reported an increase in inputs applied as opposed to a decrease. Second, respondents were asked to provide the actual change in input use observed. Among those reporting a decrease in input use, the average decrease ranged from 17% for fungicides to 39% for seed inputs. This range, however, was somewhat lower among those reporting an increase in input use, from 11% for seed and irrigation inputs to 30% for lime inputs.

Table 18 summarizes the perceived effect of variable rate management on cotton yield (Question 48). Nearly two in three respondents to this question (67%) reported no change in cotton yields from variable rate management. By contrast, just under one-third (31%) reported a yield increase. Less than two percent reported a decrease. Among those reporting a yield increase, the average increase was 142 lbs lint/acre. Among those reporting a decrease, the

average decrease was 417 lbs lint/acre; however this figure is drawn from a small sample size (N=5).

Precision Farming Services

Table 19 summarizes the off-farm precision farming services hired by adopters, the cost of those services, and whether they would purchase the services again (Question 19). The most popular technical advice and custom services were for grid and zone soil sampling. Nearly all adopters who purchased these services agreed they would purchase the service again. While the response rate was low for many of the technologies considered, satisfaction appears high among those who did responded.

Factors Influencing Use of Precision Farming Technologies

Precision farming adopters rated the importance of factors affecting their decision to adopt precision farming technologies on a scale of 1 (not important) to 5 (very important). They rated profit as the most important factor prompting their adoption of precision farming (4.4 average score), with 70% of respondents considering it very important and only 7% indicating it was not important to their decision. Environmental benefits were the second most important factor (3.3 average score). Here, 23% of respondents indicated environmental benefits to be very important, while 14% viewed them as not important. By contrast, a desire to be at the forefront of agricultural technology was least likely to persuade producers to practice precision farming (2.8 average score). Only 17% viewed this last reason as very important and 29% viewed it as not important.

Fiber and Environmental Quality

The effect of precision farming on fiber and environmental quality was also explored (Questions 49 and 50). Following the adoption of precision farming technologies, over one-quarter (26%) perceived an improvement in fiber quality. By contrast, nearly four of ten (38%) perceived an improvement in environmental quality following adoption.

Adopter and Non-Adopter Perceptions about Precision Farming

Yield Variability Assessment

Table 20 elaborates on the methods used by precision farming adopters and non-adopters to assess yield variability within a typical cotton field (Question 16). On average, adopters used 1.8 different methods to assess yield variability within their fields. The most commonly used methods included yearly field records (78%), soil maps (30%), and consultants (24%). Grid sampling was used by approximately two in ten adopters (18%), whereas aerial imagery, satellite imagery, and COTMAN were used by fewer than one in ten (<10%). On average, 1.1 different methods were used by non-adopters. Methods used by non-adopters were limited to yearly field records and soil maps, with the majority relying on yearly records (93%).

Information Sources

Table 21 reports the information sources used by adopters and non-adopters to obtain precision farming information. Respondents were asked to rank the usefulness of each information sources used from most important (Rank = 1) to least important (Rank = 7) (Question 12). If two or more sources were equally helpful, respondents were instructed to assign equal values.

The average respondent used 3.2 different information sources. However, when separated by cotton precision farming adoption status, adopters were found to have utilized a wider range of sources than non-adopters. On average, precision farming adopters utilized 3.4 different information sources whereas non-adopters used 2.6 different sources on average. Among both adopters and non-adopters, other farmers and farm dealers were the most widely used information sources. University extension was the third most widely used source by adopters, but the fourth most widely used by non-adopters. Information sources such as crop consultants, trade shows, and the internet were also used, but more by adopters than non-adopters.

Average rankings of importance for each information source were nearly identical for adopters and non-adopters. Rankings were higher, on average, for other farmers than other sources. Farm dealers, crop consultants, and University Extension were viewed as the next most useful group of information sources. Despite their considerable usage, news/media, trade shows, and the internet received the lowest average ranking relative to other sources.

Price and Value of a Cotton Yield Monitoring System

Adopters and non-adopters provided their best estimate for the typical purchase price of a cotton yield monitoring system with GPS (Question 11). Responses ranged from a low of \$0 to a maximum of \$70,000³. Precision farming adopters, on average, indicated a purchase price of \$12,583 with a standard deviation of \$9,918. Similarly, non-adopters reported an average purchase price of \$12,784 with a standard deviation of \$11,204. These average prices are approximately \$1,500-1,800 above the list price of \$10,980 for a cotton yield monitoring system that included a monitor, flow sensor kit for a 4-row picker, a GPS receiver, and GIS desktop computer software (John Deere, 2010).

³ Three respondents reported yield monitor system purchase prices of \$100,000 or greater. These values were considered outliers for the purposes of this report, and were not included in calculating average values.

Intent to Purchase a GPS Guidance System

All respondents reported their plans to purchase a GPS guidance system in the near future (Question 38). Nearly one-quarter (23%) of precision farming non-adopters indicated that they intended to purchase a GPS guidance system within the next three years. By contrast, over half (51%) of precision farming adopters reported an intent to purchase a GPS guidance system within the same timeframe.

Use of University Extension Services

The survey questioned respondents about their use of university outreach and extension services to obtain information related to precision farming (Questions 60 and 61). When asked how many times they had attended university presentations and/or educational events related to precision farming, adopters responded that they had attended 3.2 events on average over the past five years. By contrast, non-adopters reported having attended only 1.4 events on average over the same period. Also among adopters, half (50%) reported having used a university publication to obtain information about precision farming in the past five years. By comparison, fewer non-adopters (37%) reported having obtained information from such a source.

Reasoning for Not Adopting Precision Farming

Non-adopters were given an opportunity to list their reasons for not adopting precision farming (Question 6). Prohibitive costs were the most frequently listed reason (50%), followed by satisfaction with current production practices (37%). The remaining non-adopters reported either insufficient time (3%) or other reasons (10%) as their primary reason for not adopting. Among those respondents indicating other reasons for non-adoption, the most commonly offered

reasons were age (i.e., nearing retirement), small farm size, uncertainty with respect to profitability, and the lack of precision farming technology for stripper cotton.

Future of Precision Farming

Adopters and non-adopters signaled their perceptions of the future of precision farming (Questions 7 and 8). They were first asked if they believed precision farming would be profitable for them to use in the future. An overwhelming majority of adopters responded in the affirmative (90%), as opposed to only a slight majority of non-adopters (57%). Second, respondents were given an opportunity to rate the importance of precision farming for cotton production five years into the future. Here, more than nine in ten precision farming adopters (95%) and three-quarters of non-adopters (75%) indicated that it would be important.

Demographic and Farm Characteristics of Respondents

Farm Characteristics

Table 22 summarizes land resources used for the production of cotton and other crops for the 2007 and 2008 growing seasons (Question 17). The average precision farming adopter farmed 1,450 and 1,390 total crop acres in 2007 and 2008, respectively. Among these same adopters, the average cotton area farmed in 2007 and 2008 was 70% and 69% of total cropland, respectively. By comparison, the average non-adopter farmed 688 and 665 acres of total cropland in 2007 and 2008, respectively, with average cotton area representing 81% and 80% of total acres, respectively. On average, precision farming adopters owned a smaller share of their cotton acres farmed than did non-adopters, but also had a larger share of cotton acres under irrigation. Dryland and irrigated cotton yields among precision farming adopters averaged 751 and 1,195 lbs/ac in 2007 and 715 and 1,073 lbs/ac in 2008, respectively. By contrast, yields for

non-adopters were slightly below these levels. Non-adopters reported average yields of 684 and 1,089 lbs/acre in 2007 for dryland and irrigated cotton, respectively. In 2008, non-adopter dryland and irrigated yields were 70 and 115 lbs/acre below these 2007 levels.

Table 23 reports the approximate number of irrigated cotton acres farmed and the type of irrigation systems used (Question 14). The most common irrigation systems used by adopters and non-adopters were center pivot, furrow, and subsurface drip systems. On average, center pivot and furrow irrigation systems were used to irrigate the greatest number of acres. Flood, hand move, solid/fixed set, linear move, big and traveling gun, side roll, and trickle irrigation systems were also used but by fewer producers and typically on less acreage.

Table 24 reports average annual yields for the most-, average-, and least-productive areas within a typical field (Question 15). Precision farming adopters reported similar or higher yields than non-adopters in all three yield categories for both irrigated and non-irrigated cotton. Non-adopters reported less overall yield variability than did adopters, as defined by the difference in yield between the most and least productive field areas. For example, the average difference was 399 lbs/acre for non-adopters but 466 lbs/acre for adopters. Similarly, the average difference in yields between the most- and least-productive field areas under irrigation was 567 lbs/acre for non-adopters and 606 lbs/acre for adopters.

Producers also responded to questions about livestock ownership and on-farm manure application (Questions 3 and 4). Approximately one-third of adopters (33%) and non-adopters (35%) indicated they owned livestock. Two of ten adopters (21%) and about half this number of non-adopters (13%) applied manure on their fields.

Demographic Characteristics

Table 25 presents descriptive statistics of demographic characteristics for precision farming adopters and non-adopters (Questions 52 through 63). The average age of a precision farming adopter was 53 years and ranged from 23 to 88 years. Non-adopters averaged 60 years of age, ranging from 24 to 95 years. Precision farming adopters had farmed an average of 30 years, while non-adopters had farmed an average of 35 years. Sixty-six percent of adopters used a computer for farm management compared to a smaller percentage (33%) of non-adopters. One-fifth of adopters (19%) reported having used a computer in the field while only few (3%) non-adopters did so. Larger percentages of adopters than non-adopters reported having used agricultural and conservation easements on their farm properties. On average, precision farming adopters had one more year of formal education than did non-adopters (14.5 versus 13.6, respectively).

Table 26 reports the highest educational degree obtained (Question 44). Nearly all adopters had completed high school or higher (98%) while only slightly fewer non-adopters (94%) did the same. By contrast, a slightly larger disparity occurred among those completing a college degree. Here, almost half of adopters reported having completed a college degree (45%) whereas only about one-third of non-adopters (32%) reported having done so.

Finally, respondents' household income from both farm and non-farm sources for 2007 are summarized in Table 27. Both precision farming adopters and non-adopters indicated that income from farming was responsible for two-thirds or more of their household income in 2007. Similarly, slightly less than half of adopters and non-adopters earned a pre-tax household income of \$50,000 to \$149,999. By contrast, over one-quarter of adopters (27%) had a household income

of \$200,000 or more, whereas less than two in ten non-adopters (17%) reported household incomes within this category.

Cotton Precision Farming: 2000-2008

In light of data collected through the 2009 survey, a need exists to reevaluate producers' experiences with precision farming technologies over the past decade and to outline emerging trends. This section presents an initial exploration of trends in precision farming adoption by southern U.S. cotton producers from 2000 to 2008 based survey data gathered in 2001, 2005, and 2009 (Roberts et al., 2002; Cochran et al., 2006)⁴. In making comparisons, data are considered only for those states and technologies included in each survey being compared (e.g., six states for comparisons between 2000 and 2008, and eleven states for comparisons from 2000 to 2004). Results may change slightly with further evaluation of the survey data.

The definition of precision farming adopter used in this report varies slightly from that for 2001 and 2005. In the earlier surveys, respondents were defined as precision farming adopters if they reported using information gathering technology or variable rate management. That is, respondents who reported using GPS guidance but not information gathering technology or variable rate management were not counted among adopters.

Tables 28 and 29 compare the 2009 survey with the 2001 and 2005 surveys, respectively, using the previous definition of a precision farming adopter. The adjusted precision farming adoption rate in 2009 for the 11-state region was 56%, an 8 percentage point increase over the adoption rate found in 2005. Similarly, for the 6-state region, the adjusted precision farming adoption rate in 2009 was 54%. This represents an 8 and 30 percentage point increase over the adoption rates found in the 2005 and 2001 surveys, respectively.

⁴ The material in this section is primarily drawn from Mooney et al. (2010).

Figure 6 illustrates changes in the mix of information gathering technologies from 2004 to 2008. The horizontal bars indicate the percentage of information gathering technology adopters who reported having used each of the seven technologies listed. Use of yield monitoring with GPS and zone and grid soil sampling increased over 5 percentage points. By contrast, use of aerial photography, handheld GPS/PDA, and COTMAN decreased slightly.

Figure 7 highlights differences in the use of variable rate management between 2004 and 2008. Results are shown for those producers basing their variable rate decisions on yield monitor and aerial/satellite imagery information. The horizontal bars indicate the percentage of variable rate management adopters who reported having made each of the nine variable rate decisions listed. Variable rate decisions for fertility and lime increased among both yield monitor and aerial/satellite imagery users. By contrast, variable rate decisions involving insecticide, harvest aid, herbicide, irrigation, and fungicide decreased among aerial/satellite imagery users. The use of yield monitor and aerial/satellite imagery information for making variable rate drainage decisions also decreased.

Figure 8 depicts GPS guidance system use for 2004 and 2008. In 2004, over three-quarters of GPS guidance adopters reported using a lightbar system. By 2008, over half of guidance adopters reported using autosteer or both autosteer and lightbar systems. Figure 9 reports changes in the use of guidance by field operation. The use of such systems in 2004 was mostly for spraying, with less than one-third of adopters using their GPS guidance systems for the four other operations listed. By 2008, however, over half of guidance adopters used their systems for the planting and tillage operations in addition to the spray operation.

CLOSING REMARKS

This report characterizes the current status and future prospects of precision farming technology adoption and usage by southern U.S. cotton producers as of 2008. Cotton producers are continually confronted with information about the rapidly expanding precision farming industry, but questions about the profitability of these technologies remain. The objective of this study was to determine the status of precision farming technology adoption by cotton producers in twelve southern states. To complete this objective, a mail survey of 13,579 cotton producers in twelve southern U.S. states was conducted in early 2009.

In summary, 63% were classified as precision farming adopters (i.e., they reported having used information gathering technology, applied at least one input at variable rates, or used GPS guidance). Zone and grid soil sampling were the most widely-used information gathering technologies, followed by yield monitoring with GPS and soil survey maps. Respondents who undertook variable rate management decisions did so most frequently with fertility/lime inputs. Growth regulators and harvest aids were also commonly applied at variable rates using aerial and satellite imagery. Spraying, planting, and tillage were the most commonly reported field operations for which GPS guidance was used.

The survey also reported questions about adopter use of yield monitors, GPS guidance systems, and precision soil sampling. Adopter and non-adopters also listed their primary information sources, provided their perceptions about the value and future profitability of precision farming technologies, and farm and farm operator characteristics. Future analyses involving this survey data will further investigate these topics.

Cotton producers gather information from university extension and research personnel along with other farmers in making decisions about precision farming. As information becomes

increasingly available, cotton producers will have expanded opportunities to make better-informed decisions about the use of these technologies on their farms. Findings from this and other studies that investigate the current use and future prospects for precision farming technologies are important to cotton producers because they provide important information for making adoption decisions. University and industry personnel may also benefit by using these findings to develop effective outreach materials.

REFERENCES

- Cochran, R.L., R.K. Roberts, B.C. English, J.A. Larson, W.R. Goodman, S.R. Larkin, M.C. Marra, S.W. Martin, K.W. Paxton, W.D. Shurley, and J.M. Reeves. 2006. Precision farming by cotton producers in eleven states: Results from the 2005 southern precision farming survey. Research Report 01-06, Department of Agricultural and Resource Economics, The University of Tennessee, Knoxville, TN.
- Dillman, D.A. 1978. *Mail and telephone surveys, the total design method*. New York: Wiley & Sons.
- Griffin, T.W., J. Lowenberg-DeBoer, D.M. Lambert, J. Peone, T. Payne, and S.G. Daberkow. 2004. Adoption, Profitability, and Making Better Use of Precision Farming Data. Staff Paper 04-06. Department of Agricultural Economics, Purdue University, West Lafayette, IN.
- John Deere, Inc. 2009. *John Deere Equipment Configurator*. Retrieved from http://www.deere.com/en_US/ag/index.html (last accessed 3/30/2010).
- Mooney, D.F., B.C. English, M. Velandia, J.A. Larson, R.K. Roberts, D.M. Lambert, S.L. Larkin, M.C. Marra, R. Rejesus, S.W. Martin, K.W. Paxton, A. Mishra, E. Segarra, C. Wang, and J.M. Reeves. 2010. "Trends in Cotton Precision Farming: 2000-2008." In *Proceedings of the Beltwide Cotton Conferences*, 476-481. Memphis: National Cotton Council of America.
- Roberts, R.K., B.C. English, J.A. Larson, R.L. Cochran, W.R. Goodman, S.L. Larkin, M.C. Marra, S.W. Martin, W.D. Shurley, and J.M. Reeves. 2002. Precision Farming by Cotton Producers in Six Southern States: Results from the 2001 Southern Precision Farming Survey. Research Report 03-02, Department of Agricultural Economics, The University of Tennessee, Knoxville.

U.S. Department of Agriculture. 2007. 2007 Census of Agriculture. National Agricultural Statistics Service, U.S. Department of Agriculture, Washington, D.C.

U.S. Department of Agriculture. 2010. Crop Production Summary for 2009. Document CR PR 2-1 (10). National Agricultural Statistics Service, U.S. Department of Agriculture, Washington, D.C.

Appendix I: The Questionnaire

2009 Southern Cotton Precision Farming Survey

“Precision farming” involves collecting site-specific information about within-field variability in yields and crop needs, linking that information to specific locations within a field, and acting on that information to determine and apply appropriate input levels. This may result in varying input levels within a field.

1. Where is most of your farm located? County _____ State _____
2. Please circle the years during which you grew cotton: 2005 2006 2007 2008 none
If you circled “none”, please skip down to question 52.
3. Do you own livestock? (Circle one) Yes No
4. Do you apply manure on your fields? (Circle one) Yes No
5. Please circle which type of cotton picker you own: 4-row 5-row 6-row none
(for each owned, please list the age of the equipment) _____yrs _____yrs _____yrs
6. If you do not use precision farming methods, please circle your most important reason for not practicing precision farming. (Circle one)
A. Cost B. No Time to Adopt C. Satisfied with current practice D. Other _____
7. Do you think it would be profitable for you to use precision farming technologies in the future?
(Circle one) Yes No Don't Know
8. Will precision farming be important five years from now? (Circle one) Yes No
9. How long into the future do you plan for your farming enterprise?
(Circle one) 1 year 2 years 3 years 4 years 5 or more years
10. How many acres do you harvest using a picker? _____acres; a stripper? _____acres
11. What is your **best guess** for the typical purchase price of a GPS cotton yield monitoring system that can be used to generate a yield map? \$ _____
12. Where do you get your precision farming information? Mark an X below each source of information you have used previously. Then, rank the sources of information you have used from highest to lowest based on your perception of their importance in making Precision Farming decisions (1 = most important, 2 = next most important, and so on). If two or more previously use sources have the same importance, you may indicate a tie using the same rank.

Example: Farm dealers (2), Crop consultants (2), University Extension (3) Other farmers (1).

Source of Information	Farm Dealers	Crop Consultants	University Extension	Other Farmers	Trade Shows	Internet	News/Media
Mark “X” if used							
If used, rank importance							

13. How many acres did you plant (on owned or rented land) and how productive were those lands in the last two years? We realize yields can be variable, please provide an estimate of your average.

	2007			2008		
	Acres Planted		Yield/acre	Acres Planted		Yield/acre
	Owned	Rented		Owned	Rented	
Dryland Cotton			Lb			Lb
Irrigated Cotton			Lb			Lb
Other Crops						

14. On your irrigated cotton fields, how many acres are irrigated under each of the systems listed below?

Irrigation System	Acres	Irrigation System	Acres
Furrow		Linear Move	
Flood		Big or Traveling Gun	
Center Pivot		Side Roll	
Hand Move		Subsurface Drip	
Solid Set/Fixed		Trickle	

15. Yields vary within a field. Give your best estimate for *cotton yields* (lbs. lint/acre) for the following portions of your **typical field**:

For Dryland: Least productive 1/3 _____ Average productive 1/3 _____ Most productive 1/3 _____

For Irrigated: Least productive 1/3 _____ Average productive 1/3 _____ Most productive 1/3 _____

16. How do you assess the yield variability *within* a typical cotton field on your farm? (Check all that apply)

Cotton yield monitor _____ Grid sampling _____ Year-to-year field records _____

Soil maps _____ Consultants' estimates _____ Satellite imagery _____

Aerial photography _____ COTMAN _____ Other (specify) _____

17. For each variable rate cotton management decision in the left column of the table below, indicate the acres on which the five information gathering technologies were used to make the variable rate decision. Leave blanks where the technology was not used. (Provide your best estimate.)

Variable Rate Decision	1. Yield Monitoring with GPS	2. Aerial/Satellite Infrared Imagery	3. Handheld GPS Units	4. Green Seeker	5. Electrical Conductivity (for example, Veris, Soil Doctor)
Drainage					
Fertility or Lime					
Seeding					
Growth Regulator					
Harvest Aids					
Fungicide					
Herbicide					
Insecticide					
Irrigation					

18. Did your input use change for the following inputs after you used variable rate technology on your cotton fields? Mark a “+” for an increase, “-“ for a decrease, or “NC” for no change. Skip if you did not use variable rate technology.

	Fertilizer	Lime	Seeds	Growth Regulator	Harvest Aids	Fungicide	Herbicide	Insecticide	Irrigation water
Indicate the direction of the change with a +, -, NC									
Indicate your best estimate of the percent change									

19. For each technology listed below, please complete the table. Leave blanks for technologies you have not used.

	Use of Information Gathering Technology for Crop Production	Number of years used	Number of acres used in 2007	If you received technical advice in 2007 or 2008		If you hired custom services in 2007 or 2008	
				What was the per-acre cost?	Will you purchase this advice again? (Put yes or no)	What was the per-acre cost?	Will you purchase this service again? (Put yes or no)
a	Yield monitor – with GPS						
b	Yield monitor – no GPS						
c	Soil sampling – grid						
d	Soil sampling – zone						
e	Aerial photos						
f	Satellite images						
g	Soil survey maps						
h	Handheld GPS/PDA						
i	COTMAN plant mapping						
j	Digitized mapping						
k	Electrical conductivity						

20. Of the technologies in Question 19 you have used, which have you abandoned (list the letters of any you no longer plan to use)?

If you currently do not use a cotton yield monitor, go to Question 25, otherwise continue with Question 21.

21. Did you or a consultant generate a yield map from your cotton yield monitor? (Circle one) Yes No

22. Please complete the following statements that best match your experience with yield monitoring:

"On average my yields were _____ variable than I thought." (Circle one) MORE LESS THE SAME

23. If they were *more* variable, about how much more? (Circle one) 5% 10% 20% 30% 40% 50% >50%

If they were *less* variable, about how much less? (Circle one) 5% 10% 20% 30% 40% 50% > 50%

24. What value do you place on the additional information you obtained from your cotton yield monitor?
(Provide your best estimate) \$ _____ acre/year

If you currently use a cotton yield monitor, skip Question 25 and read the information before Question 26.

25. What value do you place on the additional information you could obtain from your cotton yield monitor? (Provide your best estimate) \$ _____ acre/year

Variable rate input application includes map-based and sensor-based methods. Map-based uses a computer to generate an input application map. The map is entered into a data card and placed in a variable rate controller on the implement or tractor. Sensor-based uses sensors to measure desired properties and the information is used immediately to control a variable rate applicator on-the-go.

26. Have you used a map-based method to apply inputs? (Circle one) Yes No **(If No, go to Question 28)**

27. If yes, who **typically** generates the maps and information required to apply the inputs?
(Check only one) A. Yourself or family member _____ B. Consultant _____
C. Fertilizer or Chemical Dealer _____ D. Other _____ (specify) _____

28. Have you used a sensor-based method to apply inputs? (Circle one) Yes No

29. Which GPS guidance systems have you used? (Circle all used) Lightbar Autosteer Other None

If you circled “None”, go to Question 38, otherwise continue with Question 30.

30. Has the use of a GPS guidance system met your expectations? (Circle one) Yes No

31. For what reasons did you use your GPS guidance system? (Circle all that apply)
A. Improved planting B. Improved spraying capacity C. Improved overall efficiency
D. Eliminate need for row markers E. Other (list) _____

32. What value do you place on your GPS guidance system? (Provide your best estimate) \$ _____
acre/year

33. Have guidance systems/auto-steer increased your ground speed? (Circle one) Yes No

34. Do you have an on-farm GPS base station? (Circle one) Yes No

35. There are a number of potential benefits from guidance systems/auto-steer. Please rank the following benefits using a 1 for greatest to 5 for lowest benefit. Use 0 if you found no benefit.

Rank	Benefit
_____	Fuel costs savings
_____	Labor cost saving
_____	More Time to do other things
_____	Input cost savings
_____	Reduced operator fatigue/Longer operating hours

36. For which field operations do you use a GPS guidance system? (Circle all that apply)
A. Primary tillage B. Planting C. Spraying D. Cultivating E. Harvesting

37. What cost savings, if any, did you realize in seed? _____ \$/acre (if none enter \$0)
 fertilizer? _____ \$/acre (if none enter \$0)
 chemicals? _____ \$/acre (if none enter \$0)

38. Do you plan to purchase a GPS guidance system in the next 3 years? (Circle one) Yes No

If you have ever used GRID or ZONE soil sampling to collect information for cotton production, continue with the questions below, otherwise skip to Question 48.

39. Have you ever, or do you currently use Global Positioning technology (GPS) to collect grid/zone soil sampling information for cotton production? (Circle one) Yes No **(If “NO”, go to Question 48)**

40. In what year did you begin GPS-referenced grid/zone soil sampling for crop production? Year _____

41. What year were the most recent GPS-referenced grid/zone soil samples for crop production collected? Year _____

42. Did you make a Variable Rate Fertilizer *Management Plan* using the GPS-referenced soil sample information (example: make a fertilizer prescription map)? (Circle one) Yes [If “YES”, go to 44] No

43. If you answered “NO” in Question 42, why did you not make a *Management Plan* for Variable Rate Fertilizer application? (Circle one)

- A. Already doing the right thing for cotton production
- B. Information not too reliable
- C. Too hard to understand information
- D. Too expensive to change current practice
- E. Used an alternative information technology (for example, electrical conductivity, pH sensor)
- F. Other _____

44. Did you use Variable Rate Technology (VRT) based on the crop *Management Plan* to apply: (Circle all that apply) N? P? K? Lime?
 Others (list)? _____ Did **NOT** use information for VRT

45. How long is GPS-referenced grid/zone soil test information useful until you need to collect new information again? Years _____

46. If you no longer use GPS-referenced grid/zone soil sample information for Variable Rate Management of cotton inputs, what year did you stop? [SKIP TO 49 IF YOU STILL USE THE GPS-REFERENCED SOIL INFORMATION]

Question	N	P	K	Lime	Other
What Year did you stop?	_____	_____	_____	_____	_____

47. Why did you discontinue using GPS-referenced grid/zone soil sampling information for Variable Rate Management of crop inputs? (you may circle more than one)

- A. Not enough variability in the field
- B. Information not too reliable
- C. Too hard to understand information
- D. Too expensive
- E. Used an alternative information technology (for example, electrical conductivity, pH sensor)
- F. Other _____

48. **If you have grown cotton sometime during the last 4 years and have variable-rate applied inputs,** please circle the letter of the following sentence that best reflects your perception of the yield effects on your farm from variable rate input application. If you circle A or C please indicate your best guess.
- A. My cotton yields increased approximately _____ lb. lint/acre.
 - B. My cotton yields did not change.
 - C. My cotton yields decreased approximately _____ lb. lint/acre.

49. Have you ever experienced any *improvements* in **cotton quality** through the use of precision farming technologies? (Circle one) Yes No Don't know

50. Have you experienced any *improvements* in **environmental quality** through the use of precision farming technologies? (Circle one) Yes No Don't know

51. If you have used precision farming methods, how *important* were each of the following reasons in your decision to practice precision farming? (Circle the appropriate number)

Reason	Not Important					Very Important				
Profit	1	2	3	4	5	1	2	3	4	5
Environmental benefits	1	2	3	4	5	1	2	3	4	5
Be at the forefront of agricultural technology	1	2	3	4	5	1	2	3	4	5

Please answer the following questions about the primary decision maker on the farm. Answers to all questions will remain strictly confidential.

52. In what year were you born? _____ 53. Number of years farming? _____

54. Number of years of formal education excluding kindergarten? _____

55. Check final degree received.

Elementary _____ Middle School _____ High school _____ GED _____ Associate _____
 Bachelors _____ Graduate degree _____

56. Do you use the computer for farm management? (Circle one) Yes No

57. Do you use a laptop or handheld computer in the field? (Circle one) Yes No

58. Please check the category that best reflects your total estimated taxable household income from both farm and non-farm sources in 2007

Less than \$50,000 _____ \$50,000 to \$99,999 _____ \$100,000 to \$149,999 _____
 \$150,000 to \$199,999 _____ \$200,000 to \$499,999 _____ \$500,000 or greater _____

59. About what percentage of your 2007 taxable household income was from farming? _____%

60. How many times have you attended University educational events or presentations related with precision farming in the past five years? _____

61. Have you used University publications to obtain precision farming information in the past five years? (Circle one) Yes No

62. Does your farm currently have a conservation easement? (Circle one) Yes No Don't know

63. Does your farm currently have an agricultural easement? (Circle one) Yes No Don't know

Appendix II: Tables

**Table 1. Number of cotton farms and survey response rates by farm location – 2009
Southern cotton precision farming survey**

State	2007 Census of agriculture ^a		Cotton farms surveyed ^b		Useable surveys returned ^c	
	N	% of total	N	% of total	N	% response
Alabama	917	5.5	782	5.8	106	13.6
Arkansas	915	5.5	812	6.0	63	7.8
Florida	213	1.3	184	1.4	27	14.7
Georgia	2,577	15.4	2,046	15.1	169	8.3
Louisiana	645	3.9	581	4.3	71	12.2
Mississippi	980	5.9	714	5.3	128	17.9
Missouri	511	3.1	464	3.4	34	7.3
North Carolina	1,308	7.8	1,036	7.6	169	16.3
South Carolina	458	2.7	355	2.6	48	13.5
Tennessee	779	4.7	631	4.6	105	16.6
Texas	7,225	43.2	5,812	42.8	749	12.9
Virginia	196	1.2	162	1.2	23	14.2
12-state total	16,742	100	13,579	100	1,692	12.5

^a US Department of Agriculture (2007). ^b Number of addresses on the 2007-2008 Cotton Board mailing list minus invalid addresses and respondents who did not farm cotton. ^c Respondents who produced cotton at least once during 2005-2008.

Table 2. Adoption of precision farming technologies by farm location - 2009 Southern cotton precision farming survey

State	Survey responses	Precision farming adoption by technology category						Overall precision farming adoption ^a	
		Information gathering		Variable rate management		GPS guidance		N	%
	N	N	%	N	%	N	%	N	%
Alabama	106	40	37.7	27	25.5	42	39.6	64 ^b	60.4
Arkansas	63	31	49.2	23	36.5	35	55.6	44	69.8
Florida	27	9	33.3	5	18.5	17	63.0	19	70.4
Georgia	169	74	43.8	48	28.4	73	43.2	104	61.5
Louisiana	71	44	62.0	25	35.2	33	46.5	49	69.0
Mississippi	128	70	54.7	48	37.5	61	47.7	90	70.3
Missouri	34	21	61.8	11	32.4	20	58.8	28	82.4
North Carolina	169	76	45.0	48	28.4	75	44.4	113	66.9
South Carolina	48	28	58.3	19	39.6	21	43.8	33	68.8
Tennessee	105	52	49.5	37	35.2	56	53.3	79	75.2
Texas	749	144	19.2	76	10.1	339	45.3	419	55.9
Virginia	23	10	43.5	6	26.1	15	65.2	19	82.6
12-state total	1,692	599	35.4	373	22.0	787	46.5	1061	62.7

^a Overall precision farming adoption includes those producers who used an information gathering technology, who made a variable rate management decision, or who used GPS guidance. ^b The number of precision farming adopters by category may not sum to the overall number of precision farming adopters because some producers adopted technologies from multiple categories.

**Table 3. Overall adoption rates for selected precision farming technologies -- 2009
Southern cotton precision farming survey**

Precision farming technology	Number of adopters		Adoption rate ^a
	N		%
Yield monitor	162		9.6
Grid soil sample	271		16.0
Zone soil sample	221		13.1
Grid or zone soil sample	489		28.9
Aerial/satellite imagery	161		9.5
Soil map	284		16.8
Handheld GPS/PDA	79		4.7
COTMAN	20		1.2
Digitized mapping	10		0.6
Electical conductivity	63		3.7
Greenseeker	9		0.5

^a Based on 1,692 survey respondents.

Table 4. Use of information gathering technologies by cotton farmers -- 2009 Southern cotton precision farming survey

Information gathering technology	Number of adopters		Average years used		Average acres, 2007		Abandonment	
	N	%	N	Years	N	Acres	N	%
Yield monitor with GPS	96	20	90	3.6	72	1,830	5	5
Yield monitor no GPS	30	6	28	3.6	21	1,289	7	23
Grid soil sampling	220	46	207	6.0	171	1,078	14	6
Zone soil sampling	221	46	202	13.5	187	1,129	5	2
Aerial photos	76	16	73	10.4	58	1,346	8	11
Satellite images	27	6	26	5.2	23	1,112	5	19
Soil survey maps	97	20	89	14.7	77	1,105	4	4
Handheld GPS/PDA	34	7	34	4.2	26	1,527	4	12
COTMAN	17	4	15	5.3	16	832	9	53
Digitized mapping	10	2	9	4.1	6	1,373	7	70
Electrical Conductivity	42	9	40	2.7	34	888	11	26
Number of respondents	478		448		418		40	
Average number of technologies	1.8		1.8		1.7		2.0	

Note: Survey question 17.

**Table 5. Variable rate management decisions made by cotton farmers by information gathering technology used – 2009
Southern cotton precision farming survey.**

Variable rate decision	Handheld GPS units		Greenseeker		Yield monitoring with GPS ^b		Aerial or satellite infrared imagery		Electrical conductivity		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Drainage	9	14	2	22	27	28	19	26	9	17	66	22
Fertility or lime	51	81	4	44	64	65	35	48	43	81	197	67
Seeding	9	14	2	22	32	33	11	15	8	15	62	21
Growth regulator	12	19	6	67	22	22	35	48	5	9	80	27
Harvest aids	12	19	4	44	21	21	25	34	2	4	64	22
Fungicide	7	11	1	11	15	15	8	11	1	2	32	11
Herbicide	13	21	2	22	24	24	7	10	3	6	49	17
Insecticide	13	21	3	33	18	18	11	15	4	8	49	17
Irrigation	7	11	3	33	18	18	18	25	5	9	51	17
Number of respondents	63		9		98		73		53		296	
Average number of decisions	2.1		3		2.5		2.3		1.5		2.2	

Table 6. Adoption of GPS guidance systems -- 2009 Southern cotton precision farming survey

GPS guidance category	N	%
Lightbar	419	25
Autosteer	529	31
Other	43	3
Number of adopters	787	47
Average number of guidance systems	1.3	

Note: Survey question 29.

Table 7. Use of GPS guidance by field operation – 2009 Southern cotton precision farming survey

Field operation	N	%
Primary tillage	451	59
Planting	483	63
Spraying	610	79
Cultivating	222	29
Harvesting	149	19
Number of respondents	768	
Average number of field operations	2.5	

Note: Survey question 36.

Table 8. Changes in perceived yield variability following the adoption of a cotton yield monitor system – 2009 Southern cotton precision farming survey

Change in perceived yield variability	N	%
Substantially increased perception: Yields were >50% more variable than previously thought	2	2
Somewhat increased perception: Yields were 31-50% more variable than previously thought	4	4
Slightly increased perception: Yields were 1-30% more variable than previously thought	56	50
No change in perception: Yields were as variable as previously thought	47	42
Slightly decreased perception: Yields were 1-30% less variable than previously thought.	2	2
Somewhat decreased perception: Yields were 31-50% less variable than previously thought	2	2
Substantially decreased perception: Yields were >50% less variable than previously thought	0	n/a
Number of respondents	113	

Note: Survey questions 22 and 23.

Table 9. Value of yield monitor information -- 2009 Southern cotton precision farming survey

Value category (\$/acre)	N	%
No value	19	21
\$5 or less	12	13
\$6 - \$10	17	18
\$11 - \$20	15	16
\$21 - \$50	23	25
Over \$50	6	7
Total	92	100

Note: Survey question 32.

Table 10. Reasons for adopting a GPS guidance system -- 2009 Southern cotton precision farming survey

Reason for adoption	N	%
Improved planting	7	1
Improved spray capacity	82	10
Improved overall efficiency	163	20
Eliminate row markers	396	50
Other	148	19
Total	796	100

Note: Survey question 31.

Table 11. Ranking of perceived benefits of GPS guidance systems -- 2009 Southern cotton precision farming survey

Perceived benefit	Respondents reporting zero benefit	Respondents reporting positive benefit	Average rank
	N	N	1 to 5 ^a
Fuel cost savings	58	641	2.60
Labor cost savings	72	622	2.86
Increased time for other tasks	90	589	3.86
Input cost savings	43	662	2.34
Reduced fatigue/longer hours	25	681	2.20
Total number of respondents	121	717	
Average number of benefits	2.4	4.5	

^a Rankings range from 1 (greatest benefit) to 5 (lowest benefit).

Note: Survey question 35.

**Table 12. Perceived cost savings following the adoption of GPS guidance systems -- 2009
Southern cotton precision farming survey**

Cost savings category (\$/acre)	N	%
Seed cost savings:		
No benefit	375	76
\$5 or less	71	14
\$6 to \$10	25	5
\$11 to \$20	12	2
\$21 to \$50	10	2
Total	493	100
Fertilizer cost savings:		
No benefit	320	61
\$5 or less	94	18
\$6 to \$10	52	10
\$11 to \$20	32	6
\$21 to \$50	27	5
Total	525	100
Chemical cost savings:		
No benefit	261	46
\$5 or less	171	30
\$6 to \$10	79	14
\$11 to \$20	34	6
\$21 to \$50	17	3
Total	562	100

Note: Survey question 37.

Table 13. Perceived value of GPS guidance system -- 2009 Southern cotton precision farming survey

Perceived value (\$/acre)	N	%
No value	19	3
\$5 or less	156	24
\$6 - \$10	136	21
\$11 - \$20	95	14
\$21 - \$50	87	13
Over \$50	168	25
Total	661	

Note: Survey question 32.

Table 14. Use of a variable rate management plan to apply inputs -- 2009 Southern cotton precision farming survey

Variable rate input	N	%
Nitrogen	86	36
Phosphorous	174	73
Potassium	180	76
Lime	218	92
Other	9	4
Total number of respondents	237	
Average number of inputs reported	2.8	

Note: Survey question 44.

Table 15. Reasons for not making a variable rate management plan for fertilizer application -- 2009 Southern cotton precision farming survey

Reason	N	%
Already doing the right thing	27	28
Information is unreliable	2	2
Too hard to understand information	5	5
Too expensive	32	34
Currently use alternative method	5	5
Other	24	25
Total	95	

Note: Survey question 43.

Table 16. Reasons for abandonment of GPS-referenced grid/zone soil sampling for variable rate crop management -- 2009 Southern cotton precision farming survey

Reason for abandonment	N	%
Insufficient within-field variability	19	39
Information was unreliable	7	14
Information hard to understand	3	6
Too expensive	26	53
Used alternative technology	6	12
Other	12	24
Total number of respondents	49	
Average number of reasons reported	1.5	

Note: Survey question 47.

Table 17. Input use change following variable rate application adoption – 2009 Southern cotton precision farming adoption

Variable rate decision	N	Direction of input use change			Magnitude of input use change	
		Decrease	No change	Increase	Decrease	Increase
		----- % of respondents -----			---- Average % change ----	
Fertilizer	208	53	18	29	-26	24
Lime	184	69	13	18	-29	30
Seed	107	24	57	19	-39	11
Growth regulator	121	28	41	31	-20	20
Harvest aids	107	21	60	20	-17	17
Fungicide	77	6	79	14	-22	21
Herbicide	92	5	68	26	-26	15
Insecticide	89	13	64	22	-21	16
Irrigation	81	11	57	32	-41	11

Note: Survey question 18.

Table 18. Direction and magnitude of yield gains following variable rate adoption - 2009 Southern cotton precision farming survey

Observed change in yield	Direction of change		Magnitude of change	
	N	%	N	lbs/acre
Increase	95	31	95	143
No change	205	67	---	---
Decrease	5	2	5	417

Note: Survey question 48.

Table 19. Cost of and satisfaction with hired precision farming services - 2009 Southern cotton precision farming survey

Information gathering technology	Technical advice			Custom services		
	N	Average cost	Purchase again?	N	Average cost	Purchase again?
		\$/acre	%		\$/acre	%
Yield monitor - with GPS	12	3.83	100	3	5.00	86
Grid soil sampling	66	7.35	93	71	6.74	94
Zone soil sampling	41	5.24	96	43	6.63	98
Aerial photography	12	4.00	81	7	2.43	100
Satellite imagery	6	6.50	58	5	6.40	100
Soil survey maps	10	5.40	61	8	7.25	89
Handheld GPS/PDA	n/a	n/a	n/a	3	6.33	80
Electrical conductivity	8	8.38	80	12	9.25	92

Notes: Survey question 19. No values are reported for yield monitor without GPS, handheld GPS/PDA, and COTMAN plant mapping due to a lack of response.

Table 20. Yield variability assessment methods used – 2009 Southern cotton precision farming survey

Assessment method	Adopters		Non-adopters	
	N	%	N	%
Yield monitoring	95	12	---	---
Soil maps	235	30	---	---
Aerial photography	73	9	---	---
Grid soil sampling	143	18	46	15
Consultant	190	24	---	---
COTMAN	7	1	---	---
Yearly field records	608	78	289	93
Satellite imagery	36	5	---	---
Number of respondents	782		310	
Average number of methods	1.8		1.1	

Note: Survey question 16.

Table 21. Ranking of information sources used to obtain information about precision farming technologies -- 2009 Southern cotton precision farming survey

Information source	Non-adopters				Adopters			
	N	%	N	Avg rank ^a	N	%	N	Avg rank ^a
Farm dealer	238	56	189	2.1	724	74	636	2.1
Crop consultant	119	28	94	2.2	384	39	341	2.1
University extension	147	34	123	2.0	468	48	424	2.2
Other farmers	269	63	213	1.7	684	70	609	1.9
Trade shows	102	24	83	2.9	399	41	365	3.2
Internet	57	13	48	3.3	329	34	307	3.2
News/media	166	39	123	2.8	368	38	330	3.2
Total respondents	428				973			
Average number of sources	2.6				3.4			

^a Rankings range from 1 (most useful) to 7 (least useful).

Note: Survey question 12.

Table 22. Descriptive statistics of cotton area and cotton yields in 2007 and 2008 by precision farming adoption status – 2009 Southern cotton precision farming survey

Variable	2007			2008		
	N	Mean	Std dev	N	Mean	Std dev
<i>Precision farming adopters</i>						
Total crop area (acres)	971	1,450	1,590	892	1,390	1,600
Cotton area (acres)	971	1,019	1,140	892	960	1,140
Percent cotton acres owned (%)	971	37	37	892	35	37
Percent cotton acres rented (%)	971	63	37	892	65	37
Percent cotton acres dryland (%)	971	68	40	892	67	40
Percent cotton acres irrigated (%)	971	32	40	892	33	40
Dryland cotton yield (lbs/acre)	807	751	265	698	715	302
Irrigated cotton yield (lbs/acre)	469	1195	299	438	1073	294
<i>Precision farming non-adopters</i>						
Total crop area (acres)	534	688	745	469	665	717
Cotton area (acres)	534	560	631	469	529	582
Percent cotton acres owned (%)	534	40	40	469	39	40
Percent cotton acres rented (%)	534	60	40	469	61	40
Percent cotton acres dryland (%)	534	77	37	469	78	36
Percent cotton acres irrigated (%)	534	23	37	469	22	36
Dryland cotton yield (lbs/acre)	443	684	258	366	614	284
Irrigated cotton yield (lbs/acre)	164	1089	321	151	964	307

Note: Survey question 13.

**Table 23. Use of irrigation by precision farming adopters and non-adopters -- 2009
Southern cotton precision farming survey**

Irrigation system	Adopters			Non-adopters		
	N	Avg acres	Std dev	N	Avg acres	Std dev
Furrow	210	450	575	92	301	399
Flood	16	307	354	6	146	60
Center pivot	409	568	647	137	348	343
Hand move	3	342	570	5	110	91
Soil set/fixed	2	102	139	1	8	---
Linear move	6	234	151	0	---	---
Big or traveling gun	27	126	137	5	112	110
Side roll	4	69	58	3	145	221
Subsurface drip	104	261	265	27	95	94
Trickle	0	---	---	2	206	8

Note: Survey question 14.

**Table 24. Cotton yield on least, average, and most productive areas of a typical field -- 2009
Southern cotton precision farming survey**

Variable (lbs/acre)	Adopters			Non-adopters		
	N	Avg yield	Std dev	N	Avg yield	Std dev
<i>Dryland cotton:</i>						
Most productive 1/3	720	920	322	303	799	333
Average productive 1/3	720	676	255	303	583	253
Least productive 1/3	720	454	230	303	400	225
<i>Irrigated cotton:</i>						
Most productive 1/3	432	1398	259	126	1236	376
Average productive 1/3	432	1067	266	126	921	251
Least productive 1/3	432	792	307	126	669	234

Note: Survey question 15.

Table 25. Demographic characteristics of precision farming adopters and non-adopters -- 2009 Southern cotton precision farming survey

Demographic characteristic	Adopters			Non-adopters		
	N	Mean	Std dev	N	Mean	Std dev
Age (years)	1032	53.1	12.2	577	60.5	12
Farming experience (years)	1027	29.8	12.7	567	34.6	14.4
Computer for farm management (%)	1034	66.3	47.3	580	33.1	47
Use laptop or other field computer (%)	1036	18.7	39.1	583	3.4	18
Have conservation easement (%)	773	22.3	41.6	513	1.64	5.6
Have agricultural easement (%)	656	14.8	35.5	512	1.44	3.6
Education (years)	1001	14.5	2.3	540	13.6	2.8
Share of income from farming (%)	1018	76.8	26.8	549	65.1	31.5

Note: Survey questions 52-54, 56-57, 59, 62-63.

Table 26. Highest level of education completed by respondents -- 2009 Southern cotton precision farming survey

Education level	Non-adopters		Adopters	
	N	%	N	%
Elementary	9	1.6	4	0.4
Middle School	24	4.2	16	1.6
High School	278	48.8	406	39.4
GED	74	13.0	140	13.6
Bachelors	147	25.8	381	37.0
Graduate	38	6.7	84	8.1

Note: Survey question 55.

Table 27. Household income of precision farming adopters and non-adopters by category -- 2009 Southern cotton precision farming survey

Income category	Adopters		Non-adopters	
	N	%	N	%
Under \$50K	140	14.2	120	21.9
\$50 to \$99K	304	30.7	192	35.1
\$100 to \$149K	183	18.5	75	13.7
\$150 to \$199K	94	9.5	67	12.2
\$200 to \$499K	160	16.2	76	13.9
\$Over 500K	108	10.9	17	3.1

Note: Survey question 58.

Table 28. Number of cotton farms and survey response rates by farm location in eleven southern states – 2005 and 2009 southern cotton precision farming surveys

State	2009 Survey Results			2005 Survey Results		
	Cotton Farmers Surveyed	Usable Surveys Returned	Precision Farming Adopters ^a	Cotton Farmers Surveyed	Usable Surveys Returned	Precision Farming Adopters
	N	%	%	N	%	%
Alabama	782	13.6	47.2	1,200	11.8	40.4
Arkansas	812	7.8	58.7	1,221	7.8	50.5
Florida	184	14.7	33.3	265	8.7	26.1
Georgia	2,046	8.3	50.3	3,185	7.1	36.9
Louisiana	581	12.2	63.4	1,032	9.3	59.4
Mississippi	714	17.9	60.2	1,308	12.9	55.6
Missouri	464	7.3	67.6	587	8.2	58.3
North Carolina	1,036	16.3	54.4	1,652	12.1	50.0
South Carolina	355	13.5	66.7	538	13.6	43.8
Tennessee	631	16.6	61.0	822	14.1	51.7
Virginia	162	14.2	60.9	233	12.4	51.7
11-State Total	7,767	12.1	56.0	12,043	10.1	47.7

^a Definition does not include GPS guidance in order to maintain consistency with the definition of precision farming adopters used in 2005 and 2001.

Table 29. Number of cotton farms and survey response rates by farm location in six southern states – 2001, 2005, and 2009 southern cotton precision farming surveys

State	2009 Survey Results			2005 Survey Results			2001 Survey Results		
	Cotton Farmers Surveyed	Usable Surveys Returned	Precision Farming Adopters ^a	Cotton Farmers Surveyed	Usable Surveys Returned	Precision Farming Adopters ^a	Cotton Farmers Surveyed	Usable Surveys Returned	Precision Farming Adopters ^a
	N	%	%	N	%	%	N	%	%
Alabama	782	13.6	47.2	1,200	11.8	40.4	991	24.0	19.3
Florida	184	14.7	33.3	265	8.7	26.1	192	26.0	14.0
Georgia	2,046	8.3	50.3	3,185	7.1	36.9	2,883	10.4	24.9
Mississippi	714	17.9	60.2	587	28.8	55.6	1,282	20.4	24.8
North Carolina	1,036	16.3	54.4	1,652	12.1	50.0	1,698	21.8	25.4
Tennessee	631	16.6	61.0	822	14.1	51.7	839	18.1	19.1
6-State Total	5,393	13.1	53.6	7,711	11.3	45.8	7,885	17.4	23.0

^a Definition does not include GPS guidance in order to maintain consistency with the definition of precision farming adopters used in 2005 and 2001.

Appendix III: Figures




Figure 1. Cumulative survey response rate – 2009 Southern cotton precision farming survey.




Figure 2. Geographical distribution of survey respondents as compared to the 2007 Census of Agriculture – 2009 Southern cotton precision farming survey.




Figure 3. Age distribution of survey respondents compared with the 2007 Census of Agriculture – 2009 Southern cotton precision farming survey.




Figure 4. Cotton acreage distribution of survey respondents compared with the 2007 Census of Agriculture – 2009 Southern cotton precision farming survey.




Figure 5. Use of cotton precision farming technologies in twelve southern U.S. states – 2009 Southern cotton precision farming survey




Figure 6. Change in mix of information gathering technologies used from 2004 to 2008 – 2005 and 2009 Southern cotton precision farming survey.




Figure 7. Change in mix of variable rate decisions for yield monitor and aerial/satellite imagery adopters from 2004 to 2008 – 2005 and 2009 Southern cotton precision farming survey.




Figure 8. Use of GPS guidance systems in 2004 and 2008 – 2009 Southern cotton precision farming survey.




Figure 9. Use of GPS guidance by field operations GPS guidance systems in 2004 and 2008 – 2009 Southern cotton precision farming survey.